

Ardex (Ardex Australia)

Chemwatch: 5404-73 Version No: 2.1.1.1 Safety Data Sheet according to WHS and ADG requirements

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Ardex AF 171 Universal Vinyl Adhesive	
Synonyms	Not Available	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Adhesive for installing vinyl plank and vinyl wall sheet.

Details of the supplier of the safety data sheet

	-	
Registered company name	rdex (Ardex Australia)	
Address	20 Powers Road Seven Hills NSW 2147 Australia	
Telephone	1800 224 070	
Fax	1300 780 102	
Website	Not Available	
Email	Not Available	

Emergency telephone number

• • •	
Association / Organisation	Ardex (Ardex Australia)
Emergency telephone numbers	1800 224 070 (Mon-Fri, 9am-5pm)
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATINGS

	Min	Max	
Flammability	0		
Toxicity	0		0 = Minimum
Body Contact	0		1 = Low 2 = Moderate
Reactivity	1		3 = High
Chronic	0		4 = Extreme

Poisons Schedule	Not Applicable
Classification	Not Applicable
Label elements	
Hazard pictogram(s)	Not Applicable
SIGNAL WORD	NOT APPLICABLE
Hazard statement(s)	

Not Applicable

Issue Date: 05/06/2020 Print Date: 15/06/2020

S.GHS.AUS.EN

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
64742-48-9.	0-5	naphtha petroleum, heavy, hydrotreated
Not Available	balance	Ingredients determined not to be hazardous

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	 If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result		
Advice for firefighters			
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. 		
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Decomposes on heating and produces: carbon dioxide (CO2) other pyrolysis products typical of burning organic material. May emit poisonous fumes. 		
HAZCHEM	Not Applicable		

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Minor Spills Clean up all spills immediately. Avoid contact with skin and eyes. Wear impervious gloves and safety goggles. Trowel up/scrape up. Slippery when spilt. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required. Slippery when spilt. Slippery when spilt. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required. Slippery when spilt. Slippery when spilt.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	 Electrostatic discharge may be generated during pumping - this may result in fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Restrict line velocity during pumping in order to avoid generation of electrostatic discharge (<=1 m/sec until fill pipe submerged to twice its diameter, then <= 7 m/sec). Avoid splash filling. Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility Avoid reaction with oxidising agents	

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	naphtha petroleum, heavy, hydrotreated	Oil mist, refined mineral	5 mg/m3	Not Available	Not Available	Not Available
EMERGENCY LIMITS						
Ingredient	Material name		TEEL-1	TEEL-2	TEE	L-3
naphtha petroleum, heavy, hydrotreated	Naphtha, hydrotreated heavy; (Isopar L-rev 2)		350 mg/m3	1,800 mg/m3	3 40,0	00 mg/m3
Ingredient	Original IDLH		Revised IDLH			
naphtha petroleum, heavy, hydrotreated	2,500 mg/m3		Not Available			

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.		
Personal protection			
Eye and face protection	 Safety glasses with side shields Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. 		
Skin protection	See Hand protection below		
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber 		
Body protection	See Other protection below		

Other protection	Overalls.P.V.C. apron.
Other protection	 P.V.C. apron. Barrier cream.

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	A-AUS	-	A-PAPR-AUS / Class 1
up to 50 x ES	-	A-AUS / Class 1	-
up to 100 x ES	-	A-2	A-PAPR-2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

• Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.

- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Cream coloured paste with mild characteristic odour; mixes with water.		
Dhysical state	Non Slump Dooto	Balativa danaity (Water - 1)	~1.2
Physical state	Non Slump Paste	Relative density (Water = 1)	~1.2
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	~7	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.

Eye Although the material is not thought to be an irritant (as classified by I characterised by tearing or conjunctival redness (as with windburn). Chronic Substance accumulation, in the human body, may occur and may cau Ardex AF 171 Universal Vinyl Adhesive TOXICITY Naphtha petroleum, heavy, hydrotreated TOXICITY Dermal (rabbit) LD50: >1900 mg/kg[1] Inhalation (rat) LC50: 8.5 mg//4H[2] Oral (rat) LD50: >4500 mg/kg[1] Inhalation (rat) LC50: 8.5 mg//4H[2] Oral (rat) LD50: >4500 mg/kg[1] I. Value obtained from Europe ECHA Registered Substances - Acute specified data extracted from RTECS - Register of Toxic Effect of chemical specified data extracted from RTECS - Register of Toxic Effect of chemical cases of hydrocarbons are well absorbed to a greater ex The major classes of hydrocarbons are well absorbed to a greater ex The major classes of hydrocarbons are well absorbed into the gastroi hydrocarbons are ingested in association with fats in the diet. Some F gut lymph, but most hydrocarbons partly separate from fats and unde For petroleum: This product contains ethyl benzene, which can cause acut compounds which are toxic to the nervous system. This product contains thyl benzene and naphthalene Cancer-causing potential: Most studies involving gasoline have retu all recent studies in living human subjects (such as in petrol service s	se some concern follo IRRITATION Not Available IRRITATION Eye: no adverse	wing repeated or long-term occupational exposure.
Ardex AF 171 Universal Vinyl Adhesive TOXICITY Not Available naphtha petroleum, heavy, hydrotreated TOXICITY Dermal (rabbit) LD50: >1900 mg/kg ^[1] Inhalation (rat) LC50: 8.5 mg/l/4H ^[2] Oral (rat) LD50: >4500 mg/kg ^[1] Inhalation (rat) LC50: 8.5 mg/l/4H ^[2] Oral (rat) LD50: >4500 mg/kg ^[1] I. Value obtained from Europe ECHA Registered Substances - Acute specified data extracted from RTECS - Register of Toxic Effect of che NAPHTHA PETROLEUM, HEAVY, HYDROTREATED Animal studies indicate that normal, branched and cyclic paraffins are n-paraffins is inversely proportional to the carbon chain length, with lit be present in mineral oil, n-paraffins may be absorbed to a greater ex The major classes of hydrocarbons are well absorbed to a greater ex gut lymph, but most hydrocarbons partly separate from fats and unde For petroleum: This product contains benzene, which can cause acut compounds which are toxic to the nervous system. This product contains to hearing loss. This product contains ethyl benzene and naphthalene Cancer-causing potential: Animal testing shows inhaling petroleum can be relevant in humans. Mutation-causing potential: Most studies involving gasoline have retu	IRRITATION Not Available IRRITATION Eye: no adverse	effect observed (not irritating) ^[1] ect observed (irritating) ^[1]
Adhesive Not Available Not Available TOXICITY Dermal (rabbit) LD50: >1900 mg/kg ^[1] Inhalation (rat) LC50: 8.5 mg/l/4H ^[2] Oral (rat) LD50: >4500 mg/kg ^[1] Inhalation (rat) LC50: 8.5 mg/l/4H ^[2] Oral (rat) LD50: >4500 mg/kg ^[1] Inhalation (rat) LD50: >4500 mg/kg ^[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute specified data extracted from RTECS - Register of Toxic Effect of chemical data extracted from RTECS - Register of Toxic Effect of chemical data extracted from RTECS - Register of Toxic Effect of chemical data extracted from RTECS - Register of Toxic Effect of chemical data extracted from RTECS - Register of Toxic Effect of chemical data extracted from RTECS - Register of Toxic Effect of the engiptical data extracted from RTECS - Register of Toxic Effect of the engiptical data extracted from RTECS - Register of Toxic Effect of the engiptical data extracted from RTECS - Register of Toxic Effect of the engiptical data extracted from RTECS - Register of Toxic Effect of the engiptical data extracted from RTECS - Register of Toxic Effect of the engiptical data extracted from RTECS - Register of Toxic Effect of the engiptical data extracted from RTECS - Register of Toxic Effect of the engiptical data extracted from RTECS - Register of Toxic Effect of the engiptical data extracted from RTECS - Register of Toxic Effect of the engiptical data extracted from RTECS - Register of Toxic Effect of the engiptical data extracted from RTECS - Register extracted engitter extracted from RTECS - Register extracted fro	Not Available IRRITATION Eye: no adverse	ect observed (irritating) ^[1]
Adhesive Not Available naphtha petroleum, heavy, hydrotreated TOXICITY Dermal (rabbit) LD50: >1900 mg/kg ^[1] Inhalation (rat) LC50: 8.5 mg/l/4H ^[2] Oral (rat) LD50: >4500 mg/kg ^[1] Inhalation (rat) LD50: >4500 mg/kg ^[1] Animal studies indicate from Europe ECHA Registered Substances - Acute specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specified data extracted from RTECS - Register of Toxic Effect of chemic specin specified data e	IRRITATION Eye: no adverse	ect observed (irritating) ^[1]
naphtha petroleum, heavy, hydrotreated Dermal (rabbit) LD50: >1900 mg/kg ^[1] Inhalation (rat) LC50: 8.5 mg/l/4H ^[2] Oral (rat) LD50: >4500 mg/kg ^[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che specified data extracte that normal, branched and cyclic paraffins	Eye: no adverse	ect observed (irritating) ^[1]
NAPHTHA PETROLEUM, HEAVY, HYDROTREATED Animal studies indicate that normal, branched and cyclic paraffins are n-paraffins is inversely proportional to the carbon chain length, with lit be present in mineral oil, n-paraffins may be absorbed to a greater ex The major classes of hydrocarbons are well absorbed into the gastroi hydrocarbons are ingested in association with fats in the diet. Some f gut lymph, but most hydrocarbons partly separate from fats and unde For petroleum: This product contains benzene, which can cause acut compounds which are toxic to the nervous system. This product contains be relevant in humans. Mutation-causing potential: Most studies involving gasoline have retu		ect observed (irritating) ^[1]
hydrotreated Inhalation (rat) LC50: 8.5 mg/l/4H[²] Oral (rat) LD50: >4500 mg/kg ^[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute specified data extracted from RTECS - Register of Toxic Effect of chemes and the specified data extracted from RTECS - Register of Toxic Effect of chemes and the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic Effect of the specified data extracted from RTECS - Register of Toxic	Skin: adverse eff	
Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute specified data extracted from RTECS - Register of Toxic Effect of che specified data extracted from RTECS - Register of Toxic Effect of che n-paraffins is inversely proportional to the carbon chain length, with lit be present in mineral oil, n-paraffins may be absorbed to a greater ex The major classes of hydrocarbons are well absorbed into the gastroi hydrocarbons are ingested in association with fats in the diet. Some h gut lymph, but most hydrocarbons partly separate from fats and unde For petroleum: This product contains benzene, which can cause acut compounds which are toxic to the nervous system. This product contains ethyl benzene and naphthalene Cancer-causing potential: Animal testing shows inhaling petroleum carbo be relevant in humans.		
NAPHTHA PETROLEUM, HEAVY, HYDROTREATED Animal studies indicate that normal, branched and cyclic paraffins are n-paraffins is inversely proportional to the carbon chain length, with lit be present in mineral oil, n-paraffins may be absorbed to a greater ex The major classes of hydrocarbons are well absorbed into the gastroi hydrocarbons are ingested in association with fats in the diet. Some h gut lymph, but most hydrocarbons partly separate from fats and unde For petroleum: This product contains benzene, which can cause acut compounds which are toxic to the nervous system. This product contains to hearing loss. This product contains ethyl benzene and naphthalene Cancer-causing potential: Animal testing shows inhaling petroleum ca be relevant in humans.		
NAPHTHA PETROLEUM, HEAVY, HYDROTREATED UI Jonn Cancer-causing potential: Most studies involving gasoline have retu		ined from manufacturer's SDS. Unless otherwise
	e absorption above C ent than iso- or cyclo- testinal tract in variou vdrocarbons may app go metabolism in the myeloid leukaemia, a ns toluene, and anim from which animal te uses tumours of the li- ned negative results m	30. With respect to the carbon chain lengths likely to paraffins. s species. In many cases, the hydrophobic ear unchanged as in the lipoprotein particles in the gut cell. and n-hexane, which can be metabolized to al studies suggest high concentrations of toluene lead sting shows evidence of tumour formation. ver and kidney; these are however not considered to
Acute Toxicity 🗙		×
Skin Irritation/Corrosion 🗙	Carcinogenicity	×
Serious Eye Damage/Irritation X STOT	Carcinogenicity Reproductivity	×
Respiratory or Skin sensitisation STOT - R		^
Mutagenicity 🗙	Reproductivity	×

SECTION 12 ECOLOGICAL INFORMATION

hydrotreated	EC50 EC50	48 72	Crustacea Algae or other aquatic plants		2
naphtha petroleum, heavy,	LC50	96	Fish	4.1mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
Ardex AF 171 Universal Viliyi Adhesive	Not Available	Not Available	Not Available	Not Available	Not Available
Ardex AF 171 Universal Vinyl	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods Product / Packaging disposal Consult State Land Waste Authority for disposal. Bury or incinerate residue at an approved site. Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Schedule 5

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

NAPHTHA PETROLEUM, HEAVY, HYDROTREATED IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Inventory of Chemical Substances (AICS) Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Chemical Footprint Project - Chemicals of High Concern List International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

National Inventory Status

National Inventory	Status
Australia - AICS	Yes
Canada - DSL	Yes
Canada - NDSL	No (naphtha petroleum, heavy, hydrotreated)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	No (naphtha petroleum, heavy, hydrotreated)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - ARIPS	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Revision Date	05/06/2020
Initial Date	05/06/2020

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit. IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors

BEI: Biological Exposure Index This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.



