Safety Data Sheet ULTRABOND ECO 380

Safety Data Sheet dated: 20/10/2021 - version 3

Date of first edition: 03/05/2017



1. Identification

GHS Product identifier

Mixture identification:

Trade name: ULTRABOND ECO 380

Trade code: 9019434

Recommended use of the chemical and restrictions on use

Recommended use: Water-borne synthetic polymer based adhesive

Uses advised against: Data not available

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsible: sales@mapei.com.au

Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26

Police or Fire Brigade 000

2. Hazard identification

Classification of the Hazardous chemical

The product is not classified as dangerous according to Australia WHS 2012.

Adverse physicochemical, human health and environmental effects:

No other hazards

GHS label elements, including precautionary statements

The product is not classified as dangerous according to Australia WHS 2012.

Other hazards which do not result in a classification

Other Hazards: No other hazards

This product contains crystalline silica (quartz sand). IARC has classified crystalline silica as a Group 1 carcinogen. Both IARC and NTP consider silica as a known human carcinogen. Evidence is based on the chronic and long-term exposure workers have had to respirable sized crystalline silica dust particles. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a silica dust hazard)

3. Composition/information on ingredients

Substances

no data available

Mixtures

Mixture identification: ULTRABOND ECO 380

Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
≥25 - <50 %	calcium carbonate	CAS:1317-65-3 EC:215-279-6		
≥5 - <10 %	free crystalline silica (Ø >10 μ)	CAS:14808-60-7 EC:238-878-4		
≥1 - <2.5 %	1-Phenoxypropan-2-ol	CAS:770-35-4 EC:212-222-7	Eye Irrit. 2A, H319	01-2119486566-23-XXXX

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

 Date
 10/20/2021
 Production Name
 ULTRABOND ECO 380
 Page n. 1 of 8

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Symptoms caused by exposure

no data available

Medical attention and special treatment

Treatment: no data available

(see paragraph 4.1)

5. Fire-fighting measures

Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: ==

Oxidizing properties: no data available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. Exposure controls/personal protection

Control parameters - exposure standards, biological monitoring

List of components with OEL value

Component		OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note				
calcium carbo	nate	OSHA			15									
		OSHA			5									
		National	GREECE		10									
		National	GREECE		5									
Date 10/2	20/2021	Product	ion Name	JLTRABON	D ECO 380						Page n.	2	of	8

Component	CAS-NO	Limit		Exposure Frequency Remark	
Component	CAS-No		Exposure Route	Exposure Frequency Remark	
Predicted No Effect Co					
		CROATIA	0.100		
		ROMANIA	0.100		
		LITHUANIA	0.100		
		SLOVENIA BULGARIA	0.1 0.070		
		SLOVAKIA	0.100	0.500	
		ESTONIA	0.100	0.500	
		SWEDEN	0.100		
		DENMARK	0.100		
		DENMARK	0.300		
	National	HUNGARY	0.150		
		REPUBLIC			
	National	CZECH	0.100		
		BELGIUM	0.100		
		PORTUGAL	0.025		
		FINLAND	0.05		
	National		0.050		
	National	FRANCE	0.100		
	ACOIN		0.023		Carcinogen; lung cancer; pulmonary fibrosis
	ACGIH	I AUS I NALIA	0.030		A2 - Suspected Human
	National	I AUSTRALIA	0.050		
	National	NORWAY	0.300		K: Chemicals to be treated as carcinogenic.
	ACGIH	None	0.025		(R), A2 - Pulm fibrosis, lung cancer
	National	SWITZERLAND	0.15		Α
	National	DENMARK	0.100		DENMARK, respirable aerosol
>10 µ)	ivational	DENMAKK	0.3		aerosol inhalable aerosol
free crystalline silica (Ø		I FRANCE I DENMARK	10.000		DENMARK, inhalable
		FRANCE			
		CROATIA CROATIA	4 10		
		ROMANIA	10		
		BULGARIA	10		
		UNITED KINGDOM	4	30	
		UNITED KINGDOM	10	12	
		UNITED KINGDOM	10	30	
		SLOVAKIA	10		
		ESTONIA	5		
		ESTONIA	10		
	National	HUNGARY	10		
	National	CZECH REPUBLIC	10.0		
		BELGIUM	10		

Date 10/20/2021 Production Name ULTRABOND ECO 380 Page n. 3 of 8

0.1 mg/l Fresh Water

0.01 mg/l Marine water

1-Phenoxypropan-2-ol

770-35-4

0.38 mg/kg Freshwater sediments

0.038 Marine water mg/kg sediments

Derived No Effect Level. (DNEL)

Component	CAS-No.	Worker Worke Industr Profes y ional		Exposure Route	Exposure Frequency Remark
1-Phenoxypropan-2-ol	770-35-4	42 mg/kg	21 mg/kg	Human Dermal	Long Term, systemic effects
		25.7 mg/m3		Human Inhalation	Long Term, systemic effects
			3.65 mg/kg	Human Oral	Long Term, systemic effects

Appropriate engineering controls

no data available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment.

9. Physical and chemical properties

Physical state: Liquid

Color: Beige Appearance: paste Odour: Characteristic

Odour threshold: no data available

pH: 9.00

Melting point / freezing point: no data available Initial boiling point and boiling range: 100 °C (212 °F)

Flash point: no data available Evaporation rate: no data available

Flammability (Solid, Gas): no data available

Upper/lower flammability or explosive limits: no data available

Vapour pressure: no data available Vapour density: no data available Relative density: 1.23 g/cm3 Solubility in water: dispersible Solubility in oil: insoluble

Partition coefficient (n-octanol/water): no data available

Auto-ignition temperature: no data available Decomposition temperature: no data available

Viscosity: 85,000.00 cPs

Specific heat value: no data available

Saturated vapour concentration: no data available

Release of invisible flammable vapours and gases: no data available

Particle size: no data available

Particle size distribution: no data available Shape and aspect ratio: no data available

Crystallinity: no data available

 Date
 10/20/2021
 Production Name
 ULTRABOND ECO 380
 Page n. 4 of 8

Dustiness: no data available

Specific surface area: no data available

Degree of aggregation or agglomeration, and dispersibility: no data available

Biodurability or biopersistence: no data available Surface coating or chemistry: no data available

VOC % (Volatile Organic Compound): 17 (Rule 1168) g/l

10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

no data available

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

SECTION 11: Toxicological information

Information on toxicological effects

Toxicological information on main components of the mixture:

calcium carbonate a) acute toxicity LD50 Oral Rat > 5000 mg/kg

free crystalline silica (Ø a) acute toxicity

>10 µ)

LD50 Oral > 2000 mg/kg

LD50 Skin > 2000 mg/kg

1-Phenoxypropan-2-ol a) acute toxicity LD50 Oral Rat = 2830 mg/kg

LD50 Skin Rabbit > 2000 mg/kg

LC50 Inhalation Rat > 5400 mg/m3 4h LD50 Skin Rabbit > 2000 mg/kg

LC50 Inhalation Rat > 5400 mg/m3 4h

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of components with eco-toxicological properties

Component Ident. Numb. Ecotox Infos

calcium carbonate CAS: 1317-65-3 - a) Aquatic acute toxicity: LC50 Fish > 10000 mg/L 96

EINECS: 215-279-6

a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/L 48
 a) Aquatic acute toxicity: EC50 Algae > 200 mg/L 72

7 770 05 4

1-Phenoxypropan-2-ol CAS: 770-35-4 - a) Aquatic acute toxicity: LC50 Fish > 100 mg/L 96 EINECS: 212-222-7

a) Aquatic acute toxicity: LC50 Daphnia = 370 mg/L 48
 a) Aquatic acute toxicity: EC50 Algae > 100 mg/L 72

Persistence and degradability

no data available

Bioaccumulative potential

no data available

 Date
 10/20/2021
 Production Name
 ULTRABOND ECO 380
 Page n. 5 of 8

Mobility in soil

no data available

Other adverse effects

no data available

13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Clean waste packaging should be recycled when possible and authorized by the authority.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. Transport information

Not classified as dangerous in the meaning of transport regulations.

UN number

no data available

UN proper shipping name

no data available

Transport hazard class(es)

no data available

Packing group, if applicable

no data available

Environmental hazards

no data available

Special precautions for user

no data available

Additional Information

no data available

HazChem Code/Emergency Action code

no data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICS: all components are listed

16. Other information

Code Description

H319 Causes serious eye irritation.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and

 Date
 10/20/2021
 Production Name
 ULTRABOND ECO 380
 Page n. 6 of 8

constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

 ${\tt IATA: International \ Air \ Transport \ Association.}$

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

 Date
 10/20/2021
 Production Name
 ULTRABOND ECO 380
 Page n. 7 of 8

Paragraphs modified from the previous revision:

- Safety Data Sheet
- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 16. OTHER INFORMATION



Date 10/20/2021 **Production Name ULTRABOND ECO 380** Page n. 8 of 8