janser

INNOVATION

JUNIOR Ride-On

The new Compact-Class of Ride-on Floor Scrapers

JUNIOR Ride-On

Forward slope design allows for big machine performance in a very small package. Ultra heavy-duty construction normally only found on machines 2 to 3 times the size/weight

Only machine that allows slide plate to be manually positioned to desired hight while seated on the machine. Ultra-safe side entrance capability. No more crawling over the front of the machine.

TECHNICAL DATA:

Power Supply:	**230 V**
Motor Power:	**2,2 kW**
Speed:	**up to 37 m/min (121 ft/min)**

DIMENSIONS

Length:	**1300 mm**
Width:	**610 mm**
Height:	**1000 mm**

WEIGHT

Net Weight:	**320 kg (704 Lbs)**
Side-Weights:	**80 kg (176 Lbs)**
Gross Weight:	**400 kg (880 Lbs)**

CERAMIC REMOVAL

CARPET REMOVAL

PVC REMOVAL

PARQUET REMOVAL

DECISIVE ADVANTAGES:

- Only small machine in the industry which promotes use on all floor covering types. Yes, including Ceramic, Wood, and Epoxy.
- Excellent, unobstructed view of cutting head and working area.
- Fantastic ground clearance to clear all types of debris.
- Tapered front-end design allows for use in tight work areas like corners
- Extremely quiet operation for use in occupied office settings.

FURTHER ADVANTAGES:

- Hassle free weight system (easy access and quick to remove)
- Designed for comfort and ease of control for any sized operator, and includes adjustable control handles and foot pegs.
- Highly efficient twin pump hydraulic system.
- Unique motor design which runs with low amperage draw. This allows for longer cords and utilizes a standard wall receptical.
- Easy access, multi-position cord arm.
- Machine tie downs in front and back for safe transportation to and from the job site.



ACCESSORY PACKAGE

PATENT PENDING

Lightest Ride-On Floor Scraper with high removal rate!

FEATURE:	BENEFIT:
Working Speed up to 37 m / min (121 ft / min)	Higher Working Speed translates into better productivity, especially on soft material removal.
Net Weight: 320 kg Gross Weight: 400 kg	Weight matters! Sufficient Weight, perfectly balanced for strong traction and high removal rates. Weight Limitations on floors, elevators or vans are no longer an issue!
Light-Touch Steering Levers	Ensure long-hours of low effort removal work in an ergonomic body position for the operator
Zero-Turn Radius	Best manoeuvrability thanks to the independent rear-wheel hydraulic drive and front castor wheel, a combination that delivers the sought after zero turn capability. This makes it possible to realign at the end of the pass in quick time. Zero-Turn Radius increases productivity.
Best price-performance ratio	

Kevmor
Wholesale Trade Suppliers

Kevmor
11 Belmont Ave
Belmont, WA, 6104

Telephone: (08) 9277 7177
Fax: (08) 9277 7700

sales@kevmor.com.au
www.kevmor.com.au