

## Section 1: Identification

### **GHS Product identifier**

Mixture identification:

Trade name: ECOPRIM GRIP Trade code: 9015600

# Recommended use of the chemical and restrictions on use

Recommended use: Water-borne synthetic resin based primer

Uses advised against: no data available

#### Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsible: sales@mapei.com.au

#### **Emergency phone number**

Australian Poisons Information Centre 24 Hour Service 13 11 26 Police or Fire Brigade 000

# Section 2: Hazard(s) identification

## **Classification of the Hazardous chemical**

The product is not classified as dangerous according to Australia WHS 2 (2021).

Adverse physicochemical, human health and environmental effects:

No other hazards

### GHS label elements, including precautionary statements

The product is not classified as dangerous according to Australia WHS 2 (2021).

#### Contains

2-(2-butoxyethoxy)ethyl acetate

#### Other hazards which do not result in a classification

Other Hazards: No other hazards

## Section 3: Composition and information on ingredients

#### Substances

no data available

## Mixtures

0/6

Mixture identification: ECOPRIM GRIP

Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:				
Qty	Name	Ident. Numb.	Classification	Registration Number
≥1 - <2.5	2-(2-butoxyethoxy)ethyl acetate	CAS:124-17-4	Aquatic Acute 3, H402	01-2119475110-51-XXXX

EC:204-685-9

	_	_		

# Section 4: First-aid measures

# Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

# Symptoms caused by exposure

no data available

# Medical attention and special treatment

no data available

# Section 5: Firefighting measures

#### Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

# Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: no data available

Oxidizing properties: no data available

# Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## HazChem Code/Emergency Action code

N.A.

# Section 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

# **Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

# Limit leakages with earth or sand. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

Retain contaminated washing water and dispose it.

## Section 7: Handling and storage

## Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

# Section 8: Exposure controls and personal protection Control parameters – exposure standards, biological monitoring

#### **Community Occupational Exposure Limits (OEL)**

	OEL Country Type	Occupational Exposure Limit
2-(2-butoxyethoxy)ethyl acetate CAS: 124-17-4	National SWEDEN	Long Term: 130 mg/m3 - 15 ppm; Short Term: 250 mg/m3 - 30 ppm
	National SWITZERL D	AN Long Term: 85 mg/m3 - 10 ppm; Short Term: 127.5 mg/m3 - 15 ppm

National SWEDEN	Long Term: 130 mg/m3 - 15 ppm
National GERMANY	Long Term: 67 mg/m3 - 10 ppm
National LITHUANIA	Long Term: 130 mg/m3 - 15 ppm; Short Term: 250 mg/m3 - 30 ppm
National SLOVENIA	Long Term: 67.5 mg/m3 - 10 ppm; Short Term: 101.2 mg/m3 - 15 ppm

## Predicted No Effect Concentration (PNEC) values

2-(2-butoxyethoxy)ethyl Exposure Route: Fresh Water; PNEC Limit: 0.108 mg/l acetate CAS: 124-17-4

> Exposure Route: Marine water; PNEC Limit: 0.011 mg/l Exposure Route: Freshwater sediments; PNEC Limit: 0.8 mg/kg Exposure Route: Marine water sediments; PNEC Limit: 0.08 mg/kg Exposure Route: Soil; PNEC Limit: 0.29 mg/kg Exposure Route: Oral; PNEC Limit: 70 mg/kg Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 100 mg/l

#### **Derived No Effect Level (DNEL) values**

2-(2-butoxyethoxy)ethylExposure Route: Human Dermal; Exposure Frequency: Long Term (repeated)acetateWorker Industry: 100 mg/kg; Consumer: 60 mg/kgCAS: 124-17-4Variation (Construction of the second of the

Exposure Route: Human Oral; Exposure Frequency: Long Term (repeated) Consumer: 7.9 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects Worker Industry: 85 mg/m3

#### Appropriate engineering controls

no data available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Not needed for normal use.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment. no data available

## Section 9: Physical and chemical properties

Physical state: Liquid Appearance: liquid Color: Grey Odour: Characteristic pH: 8.50 Melting point / freezing point: no data available Initial boiling point and boiling range: no data available Flash point: no data available Evaporation rate: no data available Lower and upper explosion limit/flammability limits: Flammability (Solid, Gas) no data available available

no data available

Vapour pressure: no data available Vapour density: no data available Relative density: 1.50 g/cm3 Solubility in water: no data available Solubility in oil: no data available Partition coefficient (n-octanol/water): no data available Auto-ignition temperature: no data available Kinematic viscosity: no data available Decomposition temperature: no data available Volatile Organic compounds - VOCs = No data available **Particle characteristics:** Particle size: no data available Particle size distribution: no data available Shape and aspect ratio: no data available Specific surface area: no data available

# Section 10: Stability and reactivity Reactivity

Stable under normal conditions Chemical stability no data available Possibility of hazardous reactions

# None.

# Conditions to avoid

Stable under normal conditions.

## Incompatible materials

None in particular.

#### Hazardous decomposition products

None.

# Section 11: Toxicological information Information on toxicological effects

## **Toxicological Information of the Preparation**

a) acute toxicity	Not classified
	Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified
	Based on available data, the classification criteria are not met
c) serious eye damage/irritation	Not classified
	Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	Not classified
	Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified
	Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified
	Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified
	Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified
	Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met

## Toxicological information on main components of the mixture:

2-(2-butoxyethoxy)ethyl a) acute toxicity acetate LD50 Oral Rat = 11920 mg/kg LD50 Skin Rabbit = 5400 mg/kg LD50 Skin Rabbit = 14500 mg/kg

LC50 Inhalation Rat = 72500 mg/m3 4h

# LD50 Oral Rat = 6500 mg/kg

i) STOT-repeated exposure	NOAEL Oral Rat = 315 mg/kg	90 d
	NOAEL Skin Rat = 2400 mg/kg	13 w
	NOAEL Inhalation Rat = 118 mg/m3	90 d

# Section 12: Ecological information

## Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

# List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

## List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
2-(2-butoxyethoxy)ethyl acetate	CAS: 124-17-4 - EINECS: 204- 685-9	a) Aquatic acute toxicity: EC50 Algae = 1570 mg/L 72h

a) Aquatic acute toxicity : LC50 Fish Brachydanio rerio 50 mg/L 96h IUCLID
a) Aquatic acute toxicity : LC50 Daphnia Daphnia magna = 665 mg/L 48h IUCLID

# Persistence and degradability

no data available

# **Bioaccumulative potential**

no data available

### Mobility in soil

no data available

## Other adverse effects

no data available

# Section 13: Disposal considerations

## **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

no data available

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Clean waste packaging should be recycled when possible and authorized by the authority.

# Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

# Section 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

# **UN number**

no data available

# **UN proper shipping name**

no data available

Transport hazard class(es) no data available Packing group, if applicable no data available **Environmental hazards** no data available Special precautions for user ADG-Subsidiary hazards no data available ADG-S.P.: no data available Road and Rail (ADR-RID): no data available Air (IATA): no data available Sea (IMDG): no data available **Additional Information** no data available HazChem Code/Emergency Action code no data available

# Section 15: Regulatory information

# Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals. AICIS: all components are listed

# Section 16: Any other relevant information

Code	Description				
H402	Harmful to aquatic life				
Code	Hazard class and hazard category	Description			
AUS-HAE/A3	Aquatic Acute 3	Short-term (acute) aquatic hazard - Category 3			
This docume	ent was prepared by a competent person who has	s received appropriate training.			
Main bibliog	raphic sources:				
	DIN - Environmental Chemicals Data and Informa nmunities	ation Network - Joint Research Centre, Commission of the European			
SAX	('s DANGEROUS PROPERTIES OF INDUSTRIAL M	ATERIALS - Eight Edition - Van Nostrand Reinold			
	tion contained herein is based on our state of known or guarantee of particular quality.	owledge at the above-specified date. It refers solely to the product indicated and			
It is the dut	y of the user to ensure that this information is ap	propriate and complete with respect to the specific use intended.			
This SDS ca	ncels and replaces any preceding release.				
Legend to a	obreviations and acronyms used in the safety dat	ta sheet:			
AC	GIH: American Conference of Governmental Indu	istrial Hygienists			
AD	R: European Agreement concerning the Internati	onal Carriage of Dangerous Goods by Road.			
AN	D: European Agreement concerning the Internati	onal Carriage of Dangerous Goods by Inland Waterways			
ATE	: Acute Toxicity Estimate				
ATE	Emix: Acute toxicity Estimate (Mixtures)				
BCI	-: Biological Concentration Factor				
BEI	BEI: Biological Exposure Index				
BO	BOD: Biochemical Oxygen Demand				
CAS	CAS: Chemical Abstracts Service (division of the American Chemical Society).				
CA	CAV: Poison Center				
CE: European Community					
CLF	CLP: Classification, Labeling, Packaging.				
CMR: Carcinogenic, Mutagenic and Reprotoxic					
CO	COD: Chemical Oxygen Demand				
CO	COV: Volatile Organic Compound				
CS	CSA: Chemical Safety Assessment				

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

**DPD:** Dangerous Preparations Directive DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration ECHA: European Chemicals Agency EINECS: European Inventory of Existing Commercial Chemical Substances. ES: Exposure Scenario GefStoffVO: Ordinance on Hazardous Substances, Germany. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. IARC: International Agency for Research on Cancer IATA: International Air Transport Association. IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA). IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization. ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO). IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients. IRCCS: Scientific Institute for Research, Hospitalization and Health Care KAFH: KAFH KSt: Explosion coefficient. LC50: Lethal concentration, for 50 percent of test population. LD50: Lethal dose, for 50 percent of test population. LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable N/D: Not defined/ Not available NA: Not available NIOSH: National Institute for Occupational Safety and Health NOAEL: No Observed Adverse Effect Level OSHA: Occupational Safety and Health Administration PBT: Persistent, Bioaccumulative and Toxic PGK: Packaging Instruction PNEC: Predicted No Effect Concentration. **PSG:** Passengers RID: Regulation Concerning the International Transport of Dangerous Goods by Rail. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value. TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.