Safety Data Sheet PRIMER SN /B

Safety Data Sheet dated: 18/05/2020 - version 2

Date of first edition: 11/03/2020



1. Identification

GHS Product identifier

Mixture identification:

Trade name: PRIMER SN /B Trade code: 900216

Recommended use of the chemical and restrictions on use

Recommended use: Hardener for epoxy products

Uses advised against: Data not available

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

Responsible: sales@mapei.com.au **Emergency phone number**

Australian Poisons Information Centre 24 Hour Service 13 11 26

Police or Fire Brigade 000

2. Hazard identification







Classification of the Hazardous chemical

Acute Tox. 4 Harmful if swallowed.

Skin Corr. 1B Causes severe skin burns and eye damage.

Eye Dam. 1 Causes serious eye damage.

Skin Sens. 1B May cause an allergic skin reaction.

STOT RE 2 May cause damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and

if swallowed.

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

GHS label elements, including precautionary statements

Pictograms and Signal Words



Danger

Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and

if swallowed

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260 Do not breathe mist/vapours/spray.
P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

 Print date
 25/07/2022
 Production Name
 PRIMER SN /B
 Page n.
 1 of 9

| IF ON SKIN: Wash with plenty of soap and water. |
|--|
| IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Immediately call a POISON CENTER or doctor/physician. |
| Get medical advice/attention if you feel unwell. |
| Specific treatment (see supplementary instructions on this label) |
| If skin irritation or rash occurs: Get medical advice/attention. |
| Take off contaminated clothing and wash before reuse. |
| Store locked up. |
| Dispose of contents/container in accordance with applicable regulations. |
| |

Other hazards which do not result in a classification

Other Hazards: No other hazards

3. Composition/information on ingredients

Substances

no data available

Mixtures

Mixture identification: PRIMER SN /B

Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

| Concentra tion (% w/w) | Name | Ident. Numb. | Classification | Registration Number |
|------------------------------|--|--|---|-------------------------|
| ≥25 - <50 % | | CAS:100-51-6 EC:202-859-9 Index:603-057- 00-5 | Acute Tox. 4, H332; Acute Tox. 4, H302; Eye Irrit. 2A, H319 | 01-2119492630-38-XXXX |
| ≥25 - <50 % | formaldehyde, polymer with benzenamine, hydrogenated | CAS:135108-88- 2 EC:603-894-6 | Acute Tox. 4, H302; Skin Corr. 1C, H314; Skin Sens. 1, H317; STOT RE 2, H373; Aquatic Chronic 3, H412 | , 01-2119983522-33-XXXX |
| ≥5 - <10 % | 2,4,6- tris(dimethylaminomethyl)phenol | CAS:90-72-2 EC:202-013-9 | Skin Corr. 1C, H314; Eye Dam. 1, H318; Skin Sens. 1B, H317 | 01-2119560597-27-XXXX |
| ≥5 - <10 % | 4,4'- methylenebis(cyclohexylamine) | CAS:1761-71-3 EC:217-168-8 | Acute Tox. 4, H302; Skin Corr. 1B, H314; Skin Sens. 1, H317; STOT RE 2, H373 | , 01-2119541673-38-xxxx |

4.First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

 $\label{lem:lemove} Remove \ contaminated \ clothing \ immediately \ and \ dispose \ of \ safely.$

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

Symptoms caused by exposure

Eye irritation Eye damages Skin Irritation

Print date 25/07/2022 Production Name PRIMER SN /B Page n. 2 of 9

Medical attention and special treatment

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

5. Fire-fighting measures

Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: ==

Oxidizing properties: no data available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and materials for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. Exposure controls/personal protection

Control parameters - exposure standards, biological monitoring

Predicted No Effect Concentration (PNEC) values

| Component | CAS-No. | PNEC Limit | Exposure Route | Exposure Frequency Remark |
|-----------|----------|---------------|-----------------------|---------------------------|
| | 100-51-6 | 1 mg/l | Fresh Water | |
| | | 0,1 mg/l | Marine water | |
| | | 5,27 mg/kg | Freshwater sediments | |

Print date 25/07/2022 Production Name PRIMER SN /B Page n. 3 of 9

0.527 Marine water sediments mg/kg 39 mg/l Microorganisms in sewage treatments 0,45 mg/kg Soil 2,3 mg/l Intermittent release 2,4,6-90-72-2 0,084 mg/l Fresh Water tris (dimethylaminomethyl) phenol 0,0084 Marine water mg/l 0,2 mg/l Microorganisms in sewage treatments 4,4'-1761-71-3 0,08 mg/l Intermittent release methylenebis (cyclohexylamine)

Derived No Effect Level. (DNEL)

| Component | CAS-No. | Worker Worker Industr Profess y ional | | Exposure Route | Exposure Frequency Remark |
|---|-----------|---|--------------|------------------|------------------------------|
| | 100-51-6 | , | 20 mg/kg | Human Oral | Short Term, systemic effects |
| | | | 4 mg/kg | Human Oral | Long Term, systemic effects |
| | | 110 mg/m3 | 27 mg/m3 | Human Inhalation | Short Term, systemic effects |
| | | 22 mg/m3 | 5,4 mg/m3 | Human Inhalation | Long Term, systemic effects |
| | | 40 mg/kg | 20 mg/kg | Human Dermal | Short Term, systemic effects |
| | | 8 mg/kg | 4 mg/kg | Human Dermal | Long Term, systemic effects |
| 2,4,6- tris (dimethylaminomethyl) phenol | 90-72-2 | 4,9 mg/m3 | | Human Inhalation | Long Term, local effects |
| | | 0,31 mg/m3 | | Human Inhalation | Long Term, systemic effects |
| 4,4'- methylenebis (cyclohexylamine) | 1761-71-3 | 0,5 mg/m3 | | Human Inhalation | Long Term, systemic effects |

Appropriate engineering controls

no data available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use adequate protective respiratory equipment.

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment.

9. Physical and chemical properties

Color Amber

Print date 25/07/2022 Production Name PRIMER SN /B Page n. 4 of 9

Appearance: liquid Odour: ammonia

Odour threshold: no data available

pH: no data available

Melting point / freezing point: no data available

Initial boiling point and boiling range: >200 °C (392 °F)

Flash point: >100 °C (212 °F) Evaporation rate: no data available

Flammability (Solid, Gas): no data available

Upper/lower flammability or explosive limits: no data available

Vapour pressure: no data available Vapour density: no data available Relative density: 1.02 g/cm3 Solubility in water: no data available Solubility in oil: no data available

Partition coefficient (n-octanol/water): no data available

Auto-ignition temperature: no data available Decomposition temperature: no data available

Viscosity: 220.00 cPs

Specific heat value: no data available

Saturated vapour concentration: no data available

Release of invisible flammable vapours and gases: no data available

Particle size: no data available

Particle size distribution: no data available Shape and aspect ratio: no data available

Crystallinity: no data available Dustiness: no data available

Specific surface area: no data available

Degree of aggregation or agglomeration, and dispersibility: no data available

Biodurability or biopersistence: no data available Surface coating or chemistry: no data available

VOC % (Volatile Organic Compound) : (A+B) 7.4 (Rule 1168) g/l

10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

no data available

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

SECTION 11: Toxicological information

Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

a) acute toxicity LD50 Skin Rabbit = 2000 mg/kg

LD50 Oral Rat = 1620 mg/kg

LC50 Inhalation Rat = 11,00000 mg/l 4h

LD50 Skin Rabbit = 2 g/kg

LC50 Inhalation Rat = 8,8 mg/l 4h LD50 Oral Rat = 1230 mg/kg

g) reproductive toxicity NOAEL Rat = 1072 mg/m3

 Print date
 25/07/2022
 Production Name
 PRIMER SN /B
 Page n.
 5 of 9

formaldehyde, polymer with benzenamine, hydrogenated

a) acute toxicity

LD50 Skin Rabbit > 2000 mg/kg

LD50 Oral Rat = 367 mg/kg

2,4,6tris

a) acute toxicity

LD50 Oral Rat = 2169 mg/kg

(dimethylaminomethyl)

phenol

LD50 Skin Rat = 1280 mg/kg LD50 Oral Rat = 1200 mg/kg

4,4'methylenebis

(cyclohexylamine)

a) acute toxicity

LD50 Oral Rat = 625 mg/kg

LD50 Skin Rabbit = 2110 mg/kg LC50 Inhalation Mouse = 0,4 mg/l 4h

LD50 Oral Rat = 1000 mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

- i) STOT-repeated exposure
- j) aspiration hazard

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic life with long lasting effects.

List of components with eco-toxicological properties

Component Ident. Numb. Ecotox Infos

CAS: 100-51-6 - a) Aquatic acute toxicity: EC50 Daphnia = 230 mg/L 48 EINECS: 202-

859-9 - INDEX: 603-057-00-5

> a) Aquatic acute toxicity: LC50 Fish = 770 mg/L 1 a) Aquatic acute toxicity: EC50 Algae = 770 mg/L 72 a) Aquatic acute toxicity: LC50 Fish = 460 mg/L 96 a) Aquatic acute toxicity: EC50 Daphnia = 66 mg/L

b) Aquatic chronic toxicity: NOEC Daphnia = 51 mg/L - 21 d

a) Aquatic acute toxicity: LC50 Fish Pimephales promelas = 460 mg/L 96h

a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus = 10 mg/L 96h EPA

a) Aquatic acute toxicity: EC50 Daphnia water flea = 23 mg/L 48h

a) Aquatic acute toxicity: LC50 Fish = 460 mg/L 96 formaldehyde, polymer with CAS: 135108benzenamine, hydrogenated 88-2 - EINECS:

Print date 25/07/2022 **Production Name** PRIMER SN /B 6 of 9 Page n.

a) Aquatic acute toxicity: EC50 Daphnia = 15,4 mg/L 48

a) Aquatic acute toxicity: EC50 Algae = 43,9 mg/L 72

c) Bacteria toxicity: EC50 Bacteria = 187 mg/L 3

a) Aquatic acute toxicity: LC50 Fish = 63 mg/L 96

a) Aquatic acute toxicity: LC50 Fish Poecilia reticulata = 63 mg/L 96h ECHA

2,4,6-

CAS: 90-72-2 tris(dimethylaminomethyl)phenol EINECS: 202-

a) Aquatic acute toxicity: LC50 Fish = 222 mg/L 24

013-9

a) Aquatic acute toxicity: LC50 Fish = 249 mg/L 24

a) Aquatic acute toxicity: LC50 Fish = 175 mg/L 96

a) Aquatic acute toxicity: EC50 Daphnia = 718 mg/L 96

a) Aquatic acute toxicity: EC50 Algae = 84 mg/L 72

b) Aquatic chronic toxicity: NOEC Algae = 6,25 mg/L

4.4'methylenebis(cyclohexylamine)

- EINECS: 217-

CAS: 1761-71-3 a) Aquatic acute toxicity: EC50 Daphnia = 6,84 mg/L 48

168-8

a) Aquatic acute toxicity: LC50 Fish > 100 mg/L 96 a) Aquatic acute toxicity: EC50 Algae = mg/L 72

b) Aquatic chronic toxicity: NOEC Daphnia = 4 mg/L 504

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

13. Disposal considerations

Disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

14. Transport information

UN number

2735

UN proper shipping name

ADG-Shipping Name: POLYAMINES, LIQUID, CORROSIVE, N.O.S. () ADR-Shipping Name: POLYAMINES, LIQUID, CORROSIVE, N.O.S. () IATA-Technical name: POLYAMINES, LIQUID, CORROSIVE, N.O.S. () IMDG-Technical name: POLYAMINES, LIQUID, CORROSIVE, N.O.S. ()

Transport hazard class(es)

ADG-Class: 8 ADR-Class: 8 IATA-Class: 8 IMDG-Class: 8

Packing group, if applicable

ADG-Packing Group: II ADR-Packing Group: II IATA-Packing group: II IMDG-Packing group: II

Environmental hazards

ADG-Environmental Pollutant: No

Marine pollutant: No

Print date 25/07/2022 **Production Name** PRIMER SN /B 7 of 9 Page n.

no data available

Special precautions for user

IATA-Subsidiary hazards:

IMDG-Subsidiary hazards:

no data available

Additional Information

no data available

HazChem Code/Emergency Action code

2X

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICS: all components are listed

16. Other information

| Code | Description |
|------|--|
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure if inhaled. |
| H373 | May cause damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and if swallowed. |
| H412 | Harmful to aquatic life with long lasting effects. |

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor BEI: Biological Exposure Index BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center CE: European Community

CLP: Classification, Labeling, Packaging. CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand COV: Volatile Organic Compound CSA: Chemical Safety Assessment

CSR: Chemical Safety Report
DMEL: Derived Minimal Effect Level
DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

 Print date
 25/07/2022
 Production Name
 PRIMER SN /B
 Page n.
 8 of
 9

DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- 3. COMPOSITION/INFORMATION ON INGREDIENTS



Kevmor Trade Supplies

Print date 25/07/2022 Production Name PRIMER SN /B 9 of 9 Page n.