# Safety Data Sheet ULTRABOND ECO S 955 1K

Safety Data Sheet dated: 14/03/2023 - version 5

Date of first edition: 03/05/2017



#### **Section 1: Identification**

### **GHS Product identifier**

Mixture identification:

Trade name: ULTRABOND ECO S 955 1K

Trade code: 900743

#### Recommended use of the chemical and restrictions on use

Recommended use: Adhesive

Uses advised against: no data available

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsable: sales@mapei.com.au

Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26

Police or Fire Brigade 000

# Section 2: Hazard(s) identification

### **Classification of the Hazardous chemical**

Flammable liquid, Category 4

Combustible liquid

Adverse physicochemical, human health and environmental effects:

No other hazards

# GHS label elements, including precautionary statements

**Pictograms and Signal Words** 

Warning

# **Hazard statements**

H227 Combustible liquid

# **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/clothing and eye/face protection.

P370+P378 In case of fire: Use a dry powder fire extinguisher to extinguish.

P403 Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with applicable regulations.

# Other hazards which do not result in a classification

Other Hazards: No other hazards

Further hazards:

Methanol is released by hydrolysis during application.

# Section 3: Composition and information on ingredients

# **Substances**

no data available

**Mixtures** 

Mixture identification: ULTRABOND ECO S 955 1K

Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

Qty Name Ident. Numb. Classification Registration Number

Print date 14/03/2023 Production Name ULTRABOND ECO S 955 1K Page n. 1 of 8

CAS:1317-65-3 EC:215-279-6

≥5 - <10 Calcium carbonate

CAS:471-34-1 EC:207-439-9 Exempted

# **Section 4: First-aid measures**

# Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### Symptoms caused by exposure

no data available

#### Medical attention and special treatment

no data available

# **Section 5: Firefighting measures**

# Suitable extinguishing media

None in particular.

Extinguishing media which must not be used for safety reasons:

None in particular.

### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: no data available Oxidizing properties: no data available

# Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

# HazChem Code/Emergency Action code

N.A.

# **Section 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

# **Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

# Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

Retain contaminated washing water and dispose it.

# Section 7: Handling and storage

# Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Print date 14/03/2023 Production Name ULTRABOND ECO S 955 1K Page n. 2 of 8

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

# Section 8: Exposure controls and personal protection Control parameters – exposure standards, biological monitoring

# **Community Occupational Exposure Limits (OEL)**

	OEL Type	Country	Occupational Exposure Limit
calcium carbonate CAS: 1317-65-3	OSHA		Long Term: 15 mg/m3
	OSHA		Long Term: 5 mg/m3
	National	GREECE	Long Term: 10 mg/m3
	National	GREECE	Long Term: 5 mg/m3
	National	BELGIUM	Long Term: 10 mg/m3
	National	CZECH REPUBLIC	Long Term: 10 mg/m3
	National	HUNGARY	Long Term: 10 mg/m3
	National	ESTONIA	Long Term: 10 mg/m3
	National	ESTONIA	Long Term: 5 mg/m3
	National	SLOVAKIA	Long Term: 10 mg/m3
	National	UNITED KINGDOM	Long Term: 10 mg/m3; Short Term: 30 mg/m3
	National	UNITED KINGDOM	Long Term: 10 mg/m3; Short Term: 12 mg/m3
	National	UNITED KINGDOM	Long Term: 4 mg/m3; Short Term: 30 mg/m3
	National	BULGARIA	Long Term: 10 mg/m3
	National	ROMANIA	Long Term: 10 mg/m3
	National	CROATIA	Long Term: 4 mg/m3
	National	CROATIA	Long Term: 10 mg/m3
	National	FRANCE	Long Term: 10 mg/m3
Calcium carbonate CAS: 471-34-1	AUS	AUSTRALIA	Long Term: 10 mg/m3
	National	FRANCE	Long Term: 10 mg/m3
	National	PORTUGAL	Long Term: 10 mg/m3
	National	LATVIA	Long Term: 6 mg/m3
	National	PORTUGAL	Long Term: 10 mg/m3

# **Predicted No Effect Concentration (PNEC) values**

Calcium carbonate CAS: 471-34-1

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 100 mg/l

# **Derived No Effect Level (DNEL) values**

Calcium carbonate CAS: 471-34-1

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects

Worker Industry: 6,36 mg/m3; Consumer: 1,06 mg/m3

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Consumer: 6,1 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects

Consumer: 6,1 mg/kg

### **Appropriate engineering controls**

no data available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Print date 14/03/2023 Production Name ULTRABOND ECO S 955 1K Page n. 3 of 8

Use close fitting safety goggles, don't use eye lens.

#### Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

#### Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

#### Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment.

no data available

# Section 9: Physical and chemical properties

Physical state: Liquid Appearance: paste Color: Beige

Odour: Characteristic pH: no data available

Melting point / freezing point: no data available

Initial boiling point and boiling range: no data available

Flash point: 62 °C (144 °F) Evaporation rate: no data available Flammability (Solid, Gas) no data available

Lower and upper explosion limit/flammability limits: no data available

Vapour pressure: no data available Vapour density: no data available Relative density: 1.70 g/cm3 Solubility in water: Insoluble Solubility in oil: partly soluble

Partition coefficient (n-octanol/water): no data available

Auto-ignition temperature: no data available Decomposition temperature: no data available

Kinematic viscosity: no data available

VOC % (Volatile Organic Compound): 8.5 (Rule 1168) g/l

# **Particle characteristics:**

Particle size: no data available

Particle size distribution: no data available Shape and aspect ratio: no data available Specific surface area: no data available

# Section 10: Stability and reactivity

# Reactivity

Stable under normal conditions

# **Chemical stability**

no data available

# Possibility of hazardous reactions

None.

### **Conditions to avoid**

Stable under normal conditions.

### **Incompatible materials**

None in particular.

# **Hazardous decomposition products**

None.

# **Section 11: Toxicological information**

#### Information on toxicological effects

# **Toxicological Information of the Preparation**

Print date 14/03/2023 Production Name ULTRABOND ECO S 955 1K Page n. 4 of 8

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

c) serious eye damage/irritation Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

# Toxicological information on main components of the mixture:

calcium carbonate a) acute toxicity LD50 Oral Rat > 5000 mg/kg

Calcium carbonate a) acute toxicity LD50 Oral Rat > 2000 mg/kg

LC50 Inhalation Rat > 3 mg/l LD50 Skin Rat > 2000 mg/kg 4h LD50 Oral Rat = 6450 mg/kg

g) reproductive toxicity NOAEL Rat = 1000 mg/kg

# **Section 12: Ecological information**

# **Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

# List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

# List of Eco-Toxicological properties of the components

### Component Ident. Numb. Ecotox Data

calcium carbonate CAS: 1317-65-3 a) Aquatic acute toxicity : LC50 Fish > 10000 mg/L 96

- EINECS: 215-

279-6

a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/L 48a) Aquatic acute toxicity: EC50 Algae > 200 mg/L 72

Calcium carbonate CAS: 471-34-1 - c) Bacteria toxicity: NOEC Bacteria = 1000 mg/L 3

EINECS: 207-

439-9

d) Terrestrial toxicity: LC50 > 1000 mg/kg

d) Terrestrial toxicity: NOEC = 1000 mg/kg - 28 d e) Plant toxicity: NOEC = 1000 mg/kg - 21 d

# Persistence and degradability

no data available

# **Bioaccumulative potential**

Print date 14/03/2023 Production Name ULTRABOND ECO S 955 1K Page n. 5 of 8

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

# Section 13: Disposal considerations

### **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

no data available

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

# Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

### **Section 14: Transport information**

Not classified as dangerous in the meaning of transport regulations.

#### **UN** number

no data available

#### **UN proper shipping name**

no data available

# Transport hazard class(es)

no data available

# Packing group, if applicable

no data available

# **Environmental hazards**

no data available

#### Special precautions for user

ADG-Subsidiary hazards no data available

ADG-S.P.: no data available

Road and Rail (ADR-RID):

no data available

ADR-Hazard identification number: NA

Air (IATA):

no data available

Sea (IMDG):

no data available

# **Additional Information**

no data available

# HazChem Code/Emergency Action code

no data available

# Section 15: Regulatory information

# Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICIS: all components are listed

# Section 16: Any other relevant information

Print date 14/03/2023 Production Name ULTRABOND ECO S 955 1K Page n. 6 of 8

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures) BCF: Biological Concentration Factor

BEI: Biological Exposure Index BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

 ${\sf GefStoffVO: Ordinance\ on\ Hazardous\ Substances,\ Germany}.$ 

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

Print date 14/03/2023 Production Name ULTRABOND ECO S 955 1K Page n. 7 of 8

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

# Paragraphs modified from the previous revision:

- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 16. OTHER INFORMATION

Print date 14/03/2023 Production Name ULTRABOND ECO S 955 1K Page n. 8 of 8