Safety Data Sheet ULTRABOND ECO MS 4 LVT / WALL

Safety Data Sheet dated: 14/03/2023 - version 3 Date of first edition: 06/09/2022



Section 1: Identification

GHS Product identifier

Mixture identification:

Trade name: ULTRABOND ECO MS 4 LVT / WALL Trade code: 9035862

Recommended use of the chemical and restrictions on use

Recommended use: Adhesive based on sililated prepolymers

Uses advised against: Data not available.

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsable: sales@mapei.com.au

Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26 Police or Fire Brigade 000

Section 2: Hazard(s) identification

Classification of the Hazardous chemical

The product is not classified as hazardous according to Australia WHS 2 (2021).

Adverse physicochemical, human health and environmental effects:

No other hazards

GHS label elements, including precautionary statements

The product is not classified as hazardous according to Australia WHS 2 (2021).

Other hazards which do not result in a classification

Other Hazards: No other hazards

Section 3: Composition and information on ingredients

Substances

no data available

Mixtures

Mixture identification: ULTRABOND ECO MS 4 LVT / WALL

Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
≥25 - <50 %	Calcium carbonate	CAS:471-34-1 EC:207-439-9		Exempted
≥1 - <2.5 %	trimethoxypropylsilane; silane, trimethoxypropyl-	CAS:1067-25-0 EC:213-926-7	Flam. Liq. 3, H226; Skin Irrit. 2, H315	01-2119972314-37-XXXX

Section 4: First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

no data available

Medical attention and special treatment

no data available

Section 5: Firefighting measures

Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: ==

Oxidizing properties: no data available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

HazChem Code/Emergency Action code

N.A.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Wash with plenty of water. Retain contaminated washing water and dispose it.

Section 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Section 8: Exposure controls and personal protection Control parameters – exposure standards, biological monitoring

Community Occupational Exposure Limits (OEL)

	OEL Type	Country	Occupational Exposure Limit
Calcium carbonate CAS: 471-34-1	AUS	AUSTRALIA	Long Term: 10 mg/m3
	National	FRANCE	Long Term: 10 mg/m3
	National	PORTUGAL	Long Term: 10 mg/m3
	National	LATVIA	Long Term: 6 mg/m3

Predicted No Effect Concentration (PNEC) values

Calcium carbonate Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 100 mg/l CAS: 471-34-1

Derived No Effect Level (DNEL) values

Calcium carbonate	Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects
CAS: 471-34-1	Worker Industry: 6,36 mg/m3; Consumer: 1,06 mg/m3

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects Consumer: 6,1 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects Consumer: 6,1 mg/kg

Appropriate engineering controls

no data available

Individual protection measures, such as personal protective equipment (PPE) Eye protection:

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Not needed for normal use.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment. no data available

Section 9: Physical and chemical properties

Physical state: Liquid Appearance: paste Color: white Odour: Characteristic pH: no data available Melting point / freezing point: no data available Initial boiling point and boiling range: no data available Flash point: no data available Evaporation rate: no data available Flammability (Solid, Gas) no data available Lower and upper explosion limit/flammability limits: no data available Vapour pressure: no data available Vapour density: no data available Relative density: 1.40 g/cm3 Solubility in water: no data available Solubility in oil: insoluble Partition coefficient (n-octanol/water): no data available Auto-ignition temperature: no data available Decomposition temperature: no data available Kinematic viscosity: no data available VOC % (Volatile Organic Compound) : 0 (Rule 1168) g/l **Particle characteristics:** Particle size: no data available

Particle size: no data available Particle size distribution: no data available Shape and aspect ratio: no data available Specific surface area: no data available

Section 10: Stability and reactivity Reactivity

Stable under normal conditions Chemical stability no data available Possibility of hazardous reactions None. Conditions to avoid Stable under normal conditions. Incompatible materials None in particular. Hazardous decomposition products

None.

Section 11: Toxicological information Information on toxicological effects

Toxicological Information of the Preparation

a) acute toxicity	Not classified
	Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified
	Based on available data, the classification criteria are not met
c) serious eye damage/irritation	Not classified
	Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	n Not classified
	Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified
	Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified
	Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified
	Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified
	Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met
Toxicological information on main con	ponents of the mixture:
Calcium carbonate a) acute toxicity	-
	LC50 Inhalation Rat > 3 mg/l

Calcium carbonate	a) acute toxicity	LD50 Oral Rat > 2000 mg/kg
		LC50 Inhalation Rat > 3 mg/l
		LD50 Skin Rat > 2000 mg/kg 4h
		LD50 Oral Rat = 6450 mg/kg
	g) reproductive toxicity	NOAEL Rat = 1000 mg/kg

Section 12: Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
Calcium carbonate	CAS: 471-34-1 - EINECS: 207- 439-9	c) Bacteria toxicity : NOEC Bacteria = 1000 mg/L 3

d) Terrestrial toxicity : LC50 > 1000 mg/kg

d) Terrestrial toxicity : NOEC = 1000 mg/kg - 28 d

e) Plant toxicity : NOEC = 1000 mg/kg - 21 d

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section 13: Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

no data available

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Clean waste packaging should be recycled when possible and authorized by the authority.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Do not re-use empty containers.

Section 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

UN number

no data available **UN** proper shipping name no data available Transport hazard class(es) no data available Packing group, if applicable no data available **Environmental hazards** no data available Special precautions for user ADG-Subsidiary hazards no data available ADG-S.P.: no data available Road and Rail (ADR-RID): no data available Air (IATA): no data available Sea (IMDG): no data available Additional Information no data available HazChem Code/Emergency Action code no data available

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICIS: all components are listed

Section 1	6: Any other relevant information	
Code	Description	
H226	Flammable liquid and vapour.	
H315	Causes skin irritation.	
Cada	Harand class and barand category	Description
Code	Hazard class and hazard category	Description
2.6/3	Flam. Liq. 3	Flammable liquid, Category 3
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
Main bibliog EC Co	mmunities	as received appropriate training. nation Network - Joint Research Centre, Commission of the European MATERIALS - Eight Edition - Van Nostrand Reinold
The informa constitutes	ition contained herein is based on our state of k no guarantee of particular quality.	nowledge at the above-specified date. It refers solely to the product indicated ar
		appropriate and complete with respect to the specific use intended.
	incels and replaces any preceding release.	
-	bbreviations and acronyms used in the safety da	
	GIH: American Conference of Governmental Ind	
	R: European Agreement concerning the Interna	
		tional Carriage of Dangerous Goods by Inland Waterways
	E: Acute Toxicity Estimate	
	Emix: Acute toxicity Estimate (Mixtures) F: Biological Concentration Factor	
	-	
	I: Biological Exposure Index D: Biochemical Oxygen Demand	
	S: Chemical Abstracts Service (division of the A	merican Chemical Society)
	V: Poison Center	mencan chemical Society).
	: European Community	
	P: Classification, Labeling, Packaging.	
	IR: Carcinogenic, Mutagenic and Reprotoxic	
	D: Chemical Oxygen Demand	
	IV: Volatile Organic Compound	
	A: Chemical Safety Assessment	
	R: Chemical Safety Report	
	1EL: Derived Minimal Effect Level	
	IEL: Derived Minima Effect Level	
	D: Dangerous Preparations Directive	
	D: Dangerous Substances Directive	
	50: Half Maximal Effective Concentration	
	HA: European Chemicals Agency	
	NECS: European Inventory of Existing Commerci	ial Chemical Substances
	: Exposure Scenario	ar chemical Substances.
	fStoffVO: Ordinance on Hazardous Substances,	Germany
	IS: Globally Harmonized System of Classification	
	RC: International Agency for Research on Cance	-
	TA: International Air Transport Association.	
	TA-DGR: Dangerous Goods Regulation by the "Ir	nternational Air Transport Association" (IATA).
	50: half maximal inhibitory concentration	
	AO: International Civil Aviation Organization.	
	AO-TI: Technical Instructions by the "Internation	nal Civil Aviation Organization" (ICAO).
	DG: International Maritime Code for Dangerous	
	CI: International Nomenclature of Cosmetic Ingr	
	CCS: Scientific Institute for Research, Hospitaliza	
	FH: KAFH	

KSt: Explosion coefficient. LC50: Lethal concentration, for 50 percent of test population. LD50: Lethal dose, for 50 percent of test population. LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable N/D: Not defined/ Not available NA: Not available NIOSH: National Institute for Occupational Safety and Health NOAEL: No Observed Adverse Effect Level OSHA: Occupational Safety and Health Administration. PBT: Persistent, Bioaccumulative and Toxic PGK: Packaging Instruction PNEC: Predicted No Effect Concentration. **PSG:** Passengers RID: Regulation Concerning the International Transport of Dangerous Goods by Rail. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value. TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). vPvB: Very Persistent, Very Bioaccumulative. WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 16. OTHER INFORMATION