# SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

## 1. Identification

Product identifier: UNIVERSAL FLOORING SOLUTIONS SUPA STIK

Other means of identification SDS number: RE1000044402

Recommended restrictions Recommended use: Adhesive Restrictions on use: Not known.

#### Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name:	UNIVERSAL FLOORING SOLUTIONS
Address:	11 BELMONT AVENUE
	BELMONT WA 6104
	AUSTRALIA
Telephone:	08-9277-7177

#### Emergency telephone number: 1-866-836-8855

## 2. Hazard(s) identification

#### Hazard Classification

Physical Hazards	
Flammable aerosol Health Hazards	Category 1
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2A
Skin sensitizer	Category 1
Toxic to reproduction	Category 2
Specific Target Organ Toxicity - Single Exposure	Category 3 (Narcotic effect.)
Specific Target Organ Toxicity - Repeated Exposure	Category 2
Aspiration Hazard	Category 1
Environmental Hazards	
Acute hazards to the aquatic environment	Category 3
Chronic hazards to the aquatic	Category 3

## Label Elements

#### Hazard Symbol:

environment



Hazard Statement:	Extremely flammable aerosol. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water If skin irritation or rash occurs: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label). Wash contaminated clothing before reuse.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

# 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	CAS number	Content in percent (%)*
2-Propanone	67-64-1	20 - <50%
Propane	74-98-6	10 - <20%
Hexane	110-54-3	5 - <10%
Methane, 1,1'-oxybis-	115-10-6	7 - 13%
Hexane, Branched And Linear	92112-69-1	5 - <10%
Naphtha (petroleum), hydrotreated light	64742-49-0	1 - <5%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition Comments:** The components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

## 4. First-aid measures

Description of necessary first-aid measures			
Inhalation:	Move to fresh air.		
Skin Contact:	Get medical attention. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.		
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.		
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.		
Personal Protection for First- aid Responders:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.		
Most important symptoms/effect	cts, acute and delayed		
Symptoms:	No data available.		
Hazards:	No data available.		
Indication of immediate medica	I attention and special treatment needed		
Treatment:	Get medical attention if symptoms occur.		
i reatment.	Get medical altention il symptoms occur.		
5. Fire-fighting measures			
	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.		
5. Fire-fighting measures	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.		
5. Fire-fighting measures General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.		
5. Fire-fighting measures General Fire Hazards: Suitable (and unsuitable) exting Suitable extinguishing	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.		
<ul> <li>5. Fire-fighting measures</li> <li>General Fire Hazards:</li> <li>Suitable (and unsuitable) exting Suitable extinguishing media:</li> <li>Unsuitable extinguishing</li> </ul>	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk. guishing media Use fire-extinguishing media appropriate for surrounding materials.		
<ul> <li>5. Fire-fighting measures</li> <li>General Fire Hazards:</li> <li>Suitable (and unsuitable) exting Suitable extinguishing media:</li> <li>Unsuitable extinguishing media:</li> <li>Specific hazards arising from</li> </ul>	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk. guishing media Use fire-extinguishing media appropriate for surrounding materials. Do not use water jet as an extinguisher, as this will spread the fire. Vapors may travel considerable distance to a source of ignition and flash back.		
<ul> <li>5. Fire-fighting measures</li> <li>General Fire Hazards:</li> <li>Suitable (and unsuitable) exting Suitable extinguishing media:</li> <li>Unsuitable extinguishing media:</li> <li>Specific hazards arising from the chemical:</li> </ul>	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk. guishing media Use fire-extinguishing media appropriate for surrounding materials. Do not use water jet as an extinguisher, as this will spread the fire. Vapors may travel considerable distance to a source of ignition and flash back.		

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Accidental release measures:	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer.
7. Handling and storage	

## Handling

5	
Technical measures (e.g. Local and general ventilation):	No data available.
Safe handling advice:	Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with skin. Avoid contact with eyes, skin, and clothing.
Contact avoidance measures:	No data available.
Storage	
Safe storage conditions:	Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.Aerosol Level 2
Safe packaging materials:	No data available.
Storage Temperature:	No data available.

# 8. Exposure controls/personal protection

## Control Parameters

Occupational Exposure Limits						
Chemical Identity	Туре	Exposure L	imit Values	Source		
2-Propanone	STEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended		
	PEL	1,000 ppm	2,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR		
			-	1910.1000), as amended		
	TWA	250 ppm		US. ACGIH Threshold Limit Values, as amended		
	TWA	750 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended		
	STEL	500 ppm		US. ACGIH Threshold Limit Values, as amended		
	REL	250 ppm	590 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as		
			•	amended		
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as		
				amended		

## Version: 1.0 Revision Date: 08/29/2020

	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR
				1910.1000), as amended
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Hexane	TWA	50 ppm	180 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	500 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	REL	50 ppm	180 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	50 ppm		US. ACGIH Threshold Limit Values, as amended
Naphtha (petroleum),	REL	100 ppm	400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
hydrotreated light	TWA	100 ppm	400 mg/m3	amended US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	100 ppm	400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Limestone - Total	REL		10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Limestone - Respirable.	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
Limestone - Total dust.	PEL		15 mg/m3	amended US, OSHA Table Z-1 Limits for Air Contaminants (29 CFR
Limestone - Respirable fraction.	PEL		5 mg/m3	1910.1000), as amended US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR
	<b>T</b> 14/4		45 / 0	1910.1000), as amended
Limestone - Total dust.	TWA		15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Limestone - Respirable fraction. Cyclohexane	TWA TWA	100 ppm	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended US. ACGIH Threshold Limit Values, as amended
Cyclollexalle	TWA	300 ppm	1,050 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	300 ppm 300 ppm	1,050 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
		ooo ppin	1,000 mg/mo	amended
	PEL	300 ppm	1,050 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR
			,	1910.1000), as amended
Heptane	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	85 ppm	350 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
				amended
	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR
	0751			1910.1000), as amended
	STEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA STEL	400 ppm		US. ACGIH Threshold Limit Values, as amended
	Ceil_	500 ppm 440 ppm	1,800 mg/m3	US. ACGIH Threshold Limit Values, as amended US. NIOSH: Pocket Guide to Chemical Hazards, as
	Time	440 ppm	1,000 mg/m3	amended
Acetic acid ethenyl ester	TWA	10 ppm	30 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceil_	4 ppm	15 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
	Time		5	amended
	STEL	20 ppm	60 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	15 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	10 ppm		US. ACGIH Threshold Limit Values, as amended
Benzene, methyl-	STEL	150 ppm	560 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	100 ppm	375 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	100 ppm	375 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceiling	300 ppm	575 mg/m5	US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	200 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	MAX.	500 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	CONC STEL	150 ppm	560 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
Benzene	REL	0.1 ppm		amended US. NIOSH: Pocket Guide to Chemical Hazards, as
				amended
	TWA	1 ppm		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceiling	25 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	TWA	0.5 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	2.5 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended
	OSHA_	0.5 ppm		US. OSHA Specifically Regulated Substances (29 CFR
	ACT	10		1910.1001-1053), as amended
	TWA	10 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	MAX.	50 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	CONC STEL	5 000		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	5 ppm 1 ppm		US. OSHA Specifically Regulated Substances (29 CFR
	STEL	1 ppm		1910.1001-1053), as amended US. NIOSH: Pocket Guide to Chemical Hazards, as
Ponzono othul	STEL	125	E45 ma/m2	amended US. NIOSH: Pocket Guide to Chemical Hazards, as
Benzene, ethyl-	SIEL	125 ppm	545 mg/m3	amended

	REL	100 ppm	435 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
			-	amended
	PEL	100 ppm	435 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR
			-	1910.1000), as amended
	STEL	125 ppm	545 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	100 ppm	435 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
Naphthalene	STEL	15 ppm	75 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
			-	amended
	REL	10 ppm	50 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
				amended
	PEL	10 ppm	50 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR
				1910.1000), as amended
	TWA	10 ppm	50 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	10 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	15 ppm	75 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended

## **Biological Limit Values**

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL
Hexane (2,5-Hexanedion, without hydrolysis: Sampling time: End of shift.)	0.5 mg/l (Urine)	ACGIH BEL
Benzene, methyl- (toluene: Sampling time: End of shift.)	0.03 mg/l (Urine)	ACGIH BEL
Benzene, methyl- (o-Cresol, with hydrolysis: Sampling time: End of shift.)	0.3 mg/g (Creatinine in urine)	ACGIH BEL
Benzene, methyl- (toluene: Sampling time: Prior to last shift of work week.)	0.02 mg/l (Blood)	ACGIH BEL
Benzene (S-Phenylmercapturic acid: Sampling time: End of shift.)	25 µg/g (Creatinine in urine)	ACGIH BEL
Benzene (t,t-Muconic acid: Sampling time: End of shift.)	500 µg/g (Creatinine in urine)	ACGIH BEL
Benzene, ethyl- (Sum of mandelic acid and phenylglyoxylic acid: Sampling time: End of shift.)	0.15 g/g (Creatinine in urine)	ACGIH BEL

#### **Exposure guidelines**

Hexane	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
Benzene	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
Naphthalene	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.

#### Appropriate Engineering Controls

No data available.

#### Individual protection measures, such as personal protective equipment

Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection Hand Protection:	No data available.
Skin and Body Protection:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.

Odor Threshold:	No data available.
pH:	No data available.
Freezing point:	No data available.
Boiling Point:	Estimated -42.22 °C
Flash Point:	Estimated -104.4 °C
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Explosive limit - upper (%):	Estimated 18 %(V)
Explosive limit - lower (%):	Estimated 1 %(V)
Vapor pressure:	No data available.
Vapor density (air=1):	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility in Water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Self Ignition Temperature:	No data available.
Decomposition Temperature:	No data available.
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.
Explosive properties:	No data available.
Oxidizing properties:	No data available.

# 10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

# Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.

**Eye contact:** No data available.

Ingestion: No data available.

# Information on toxicological effects

Oral Product:	Not classified for acute toxicity based on available data.
Dermal Product:	Not classified for acute toxicity based on available data.
Inhalation Product:	Not classified for acute toxicity based on available data.
Repeated dose toxicity Product:	No data available.
<b>Components:</b> 2-Propanone	NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation
Hexane	Experimental result, Key study NOAEL (Mouse(Male), Inhalation, 13 Weeks): 500 ppm(m) Inhalation Experimental result, Key study LOAEL (Mouse(Male), Inhalation, 13 Weeks): 1,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Male), Inhalation, 16 Weeks): 3,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Mouse(Female), Inhalation, 13 Weeks): 500 ppm(m) Inhalation
Methane, 1,1'-oxybis-	Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, 2 yr): 2.5 %(m) Inhalation Experimental result, Key study
Naphtha (petroleum), hydrotreated light	NOAEL (Rat(Female, Male), Inhalation): 10,000 mg/m3 Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Oral, 13 Weeks): 1,250 mg/kg Oral Read- across based on grouping of substances (category approach), Key study NOAEL (Rat(Female, Male), Dermal, 28 d): > 375 mg/kg Dermal Experimental result, Supporting study
Skin Corrosion/Irritation Product:	No data available.
<b>Components:</b> 2-Propanone Hexane Hexane, Branched And Linear Naphtha (petroleum), hydrotreated light	in vivo (Rabbit): Not irritant Review Irritating. Assessment Irritating. Assessment Non-Irritating In vitro (Human): not corrosive
Serious Eye Damage/Eye Irritatio Product: Components:	on No data available.
2-Propanone	Irritating. Rabbit, 24 hrs: Minimum grade of severe eye irritant
Hexane	Rabbit, 1 - 72 hrs: Not irritating

Naphtha (petroleum), hydrotreated light	Rabbit, 24 - 72 hrs: Not irritating
Respiratory or Skin Sensitizatio Product:	n No data available.
<b>Components:</b> 2-Propanone Naphtha (petroleum), hydrotreated light	Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising
Carcinogenicity Product:	No data available.
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified	
US. National Toxicology Progra No carcinogenic component	m (NTP) Report on Carcinogens: is identified
US. OSHA Specifically Regulate No carcinogenic component	ed Substances (29 CFR 1910.1001-1050), as amended: is identified
Germ Cell Mutagenicity	
In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
<b>Components:</b> Hexane	Suspected of damaging fertility or the unborn child.
Specific Target Organ Toxicity - Product:	• Single Exposure Inhalation - vapor: Narcotic effect Category 3 with narcotic effects.
Specific Target Organ Toxicity - Repeated Exposure         Product:       No data available.         Components:       Inhalation - vapor: Nervous System - Category 2	
Target Organs         Specific Target Organ Toxicity - Single Exposure: Narcotic effect.	
Aspiration Hazard Product:	No data available.
<b>Components:</b> Hexane Hexane, Branched And Linear	May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways.
Naphtha (petroleum), hydrotreated light	May be fatal if swallowed and enters airways.
Other effects:	No data available.

# 12. Ecological information

# Ecotoxicity:

# Acute hazards to the aquatic environment:

Fish Product:	No data available.
<b>Components:</b> 2-Propanone	LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Hexane	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 2.101 - 2.981 mg/l Mortality
Methane, 1,1'-oxybis-	LC 50 (Various, 96 h): 1,783.04 mg/l QSAR QSAR, Supporting study
Naphtha (petroleum), hydrotreated light	LC 50 (96 h): 8.41 mg/l Experimental result, Key study
Aquatic Invertebrates Product:	No data available.
Components: 2-Propanone	LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study
Hexane	EC 50 (Daphnia magna, 48 h): 21.85 mg/l QSAR QSAR, Key study LC 50 (Water flea (Daphnia magna), 24 h): > 50 mg/l Mortality
Hexane, Branched And Linear	EC 50 (48 h): < 100 mg/l Estimated
Naphtha (petroleum), hydrotreated light	EC 50 (Daphnia magna, 48 h): 4.5 mg/l Experimental result, Key study

# Chronic hazards to the aquatic environment:

Fish Product:	No data available.
<b>Components:</b> Hexane	NOAEL (Oncorhynchus mykiss): 2.8 mg/l QSAR QSAR, Key study
Naphtha (petroleum), hydrotreated light	NOAEL (Daphnia magna): 2.6 mg/l Other, Key study
Aquatic Invertebrates Product:	No data available.
<b>Components:</b> 2-Propanone	LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study
Hexane	NOAEL (Daphnia magna): 4.888 mg/I QSAR QSAR, Key study
Naphtha (petroleum), hydrotreated light	EC 50 (Daphnia magna): 10 mg/l Experimental result, Key study
Toxicity to Aquatic Plants Product:	No data available.

# Persistence and Degradability

Biodegradation Product:	No data available.
Components: 2-Propanone	90.9 % (28 d) Detected in water. Experimental result, Key study
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
Hexane	81 % Detected in water. Read-across based on grouping of substances (category approach), Key study
Methane, 1,1'-oxybis-	5 % (28 d) Detected in water. Experimental result, Key study
Naphtha (petroleum), hydrotreated light	90.35 % (28 d) Detected in water. Experimental result, Supporting study
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (BC Product:	<b>CF)</b> No data available.
Components:	Laddada adult Diagonachtetian Eastan (DOE): 0.000 Anustia addiment
2-Propanone	Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment Experimental result, Not specified
Hexane	Pimephales promelas, Bioconcentration Factor (BCF): 501.19 Aquatic sediment QSAR, Key study
Naphtha (petroleum), hydrotreated light	Bioconcentration Factor (BCF): 10 - 2,500 Aquatic sediment Estimated by calculation, Key study
Partition Coefficient n-octanol / v Product:	vater (log Kow) No data available.
<b>Components:</b> Naphtha (petroleum), hydrotreated light	Log Kow: > 2.4 - < 5.7 23 °C Yes Experimental result, Key study
Mobility in soil:	No data available.
<b>Components:</b> 2-Propanone Propane Hexane Methane, 1,1'-oxybis- Hexane, Branched And Lin Naphtha (petroleum), hydro	
Other adverse effects:	Harmful to aquatic life with long lasting effects.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.
Contaminated Packaging:	No data available.

## 14. Transport information

DOT UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.:	UN 1950 Aerosols, flammable 2.1 –
Packing Group: Special precautions for user:	II Not regulated.
IATA UN Number:	UN 1950
UN Proper Shipping Name: Transport Hazard Class(es): Class: Label(s):	Aerosols, flammable 2.1
Packing Group: Special precautions for user: Other information Passenger and cargo aircraft: Cargo aircraft only:	– Not regulated. Allowed. 203 Allowed. 203
IMDG UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.: Packing Group: Special precautions for user:	UN 1950 Aerosols, flammable 2 - Not regulated.
	5

# 15. Regulatory information

#### **US Federal Regulations**

Restrictions on use: Not known.

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical Identity	OSHA hazard(s)
Benzene	Flammability
	Cancer
	Aspiration
	Eye
	Blood
	Skin
	respiratory tract irritation
	Central nervous system

#### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity 2-Propanone ACETONE HEXANE Hexane UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY RCRA HAZARDOUS WASTE NO. D001 CYCLOHEXANE BENZENE,HEXAHYDRO-VINYL ACETATE BENZENE, METHYL-BENZENE ETHYLBENZENE NAPHTHALENE

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Flammable aerosol, Skin Corrosion/Irritation, Serious Eye Damage/Eye Irritation, Skin sensitizer, Toxic to reproduction, Specific Target Organ Toxicity - Single Exposure, Specific Target Organ Toxicity - Repeated Exposure, Aspiration Hazard

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

Chemical Identity	<u>% by weight</u>	
Hexane	1.0%	

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

#### **US State Regulations**

**US. California Proposition 65** 

For more information go to www.P65Warnings.ca.gov.

## US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity 2-Propanone Propane Methane, 1,1'-oxybis-Hexane Naphtha (petroleum), hydrotreated light Cyclopentane, methyl-

US. Massachusetts RTK - Substance List Chemical Identity Acetic acid ethenyl ester Benzene US. Pennsylvania RTK - Hazardous Substances <u>Chemical Identity</u> 2-Propanone Propane Methane, 1,1'-oxybis-Hexane Naphtha (petroleum), hydrotreated light Cyclopentane, methyl-US. Rhode Island RTK No ingredient regulated by RI Right-to-Know Law present. International regulations <u>Montreal protocol</u> 2 Propanano

2-Propanone Hexane

Stockholm convention 2-Propanone Hexane

Rotterdam convention 2-Propanone Hexane

#### Kyoto protocol

# Inventory Status:

Australia AICS

Canada DSL Inventory List

EINECS, ELINCS or NLP

Japan (ENCS) List

China Inv. Existing Chemical Substances

Korea Existing Chemicals Inv. (KECI)

Canada NDSL Inventory

Philippines PICCS

**US TSCA Inventory** 

New Zealand Inventory of Chemicals

Japan ISHL Listing

Japan Pharmacopoeia Listing

Mexico INSQ

**Ontario Inventory** 

Taiwan Chemical Substance Inventory

Not in compliance with the inventory. On or in compliance with the inventory. Not in compliance with the inventory. On or in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

Issue Date:	08/29/2020
Revision Information:	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.



Kevmor Trade Supplies 11 Belmont Avenue, Belmont WA 6104 P: 08 9277 7177 E: sales@kevmor.com.au W: kevmor.com.au