### Safety Data Sheet ULTRABOND ECO V4 SP

Safety Data Sheet dated: 28/04/2022 - version 2

Date of first edition: 01/09/2017



#### 1. Identification

#### **GHS Product identifier**

Mixture identification:

Trade name: ULTRABOND ECO V4 SP

Trade code: 900672

### Recommended use of the chemical and restrictions on use

Recommended use: Water-borne synthetic polymer based adhesive

Uses advised against: Data not available

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsible: sales@mapei.com.au

Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26

Police or Fire Brigade 000

#### 2. Hazard identification

### **Classification of the Hazardous chemical**

0 The product is not classified as dangerous according to Australia WHS 2012.

Adverse physicochemical, human health and environmental effects:

No other hazards

### GHS label elements, including precautionary statements

The product is not classified as dangerous according to Australia WHS 2012.

### Other hazards which do not result in a classification

Other Hazards: No other hazards

### 3. Composition/information on ingredients

### Substances

no data available

**Mixtures** 

Mixture identification: ULTRABOND ECO V4 SP

# Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
≥10 - <20 %	calcium carbonate	CAS:1317-65-3 EC:215-279-6		
≥10 - <20 %	free crystalline silica (Ø >10 $\mu$ )	CAS:14808-60-7 EC:238-878-4		
≥1 - <2.5 %	free crystalline silica (Ø <10 $\mu$ )	CAS:14808-60-7 EC:238-878-4	STOT RE 1, H372	

### 4. First-aid measures

### **Description of necessary first-aid measures**

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Print date 28/04/2022 Production Name ULTRABOND ECO V4 SP Page n. 1 of 8

Remove casualty to fresh air and keep warm and at rest.

### Symptoms caused by exposure

no data available

#### Medical attention and special treatment

Treatment: no data available

(see paragraph 4.1)

### 5. Fire-fighting measures

### Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: ==

Oxidizing properties: no data available

### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

#### **Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

### 7. Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

### 8. Exposure controls/personal protection

### Control parameters - exposure standards, biological monitoring

### List of components with OEL value

Component	OEL Country Type	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour Note
calcium carbonate	OSHA		15				
	OSHA		5				
	National GREECE		10				
	National GREECE		5				
	National BELGIUM		10				
	National CZECH REPUBLIC		10.0				

Print date 28/04/2022 Production Name ULTRABOND ECO V4 SP Page n. 2 of 8

	National HUNGARY	10		
	National ESTONIA	10		
	National ESTONIA	5		
	National SLOVAKIA	10		
	National UNITED	10	30	
	KINGDOM			
	National UNITED KINGDOM	10	12	
	National UNITED KINGDOM	4	30	
	National BULGARIA	10		
	National ROMANIA	10		
	National CROATIA	4		
	National CROATIA	10		
	National FRANCE	10.000		
free crystalline silica (Ø >10 $\mu$ )	National DENMARK	0.3		DENMARK, inhalable aerosol inhalable aerosol
	National DENMARK	0.100		DENMARK, respirable aerosol respirable aerosol
	National SWITZERLAND	0.15		Α
	ACGIH None	0.025		(R), A2 - Pulm fibrosis, lung cancer
	National NORWAY	0.300		K: Chemicals to be treated as carcinogenic.
	National AUSTRALIA	0.050		
	ACGIH	0.025		A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis
	National FRANCE	0.100		
	National SPAIN	0.050		
	National FINLAND	0.05		
	National PORTUGAL	0.025		
	National BELGIUM	0.100		
	National CZECH REPUBLIC	0.100		
	National HUNGARY	0.150		
	National DENMARK	0.300		
	National DENMARK	0.100		
	National SWEDEN	0.100		
	National ESTONIA	0.100		
	National SLOVAKIA	0.100	0.500	
	National SLOVENIA	0.1		
	National BULGARIA	0.070		
	National LITHUANIA	0.100		
	National ROMANIA	0.100		
	National CROATIA	0.100		
free crystalline silica (Ø <10 $\mu$ )	National SWEDEN	0.100		SWEDEN, respirable aerosol
	National NORWAY	0.100		K: Chemicals to be treated as carcinogenic.
	National DENMARK	0.3	0.600	DENMARK, inhalable aerosol
	National DENMARK	0.100	0.200	DENMARK, respirable aerosol
Print data	29/04/2022 Production Name	A LILTDARONE	D ECO V/4 SB	Dogon 2 of 9

Print date 28/04/2022 Production Name ULTRABOND ECO V4 SP Page n. 3 of 8

ACGIH	None	0.025	
National ACGIH	AUSTRIA	0.150 0.025	
AUS	AUSTRALIA	0.1	
Nationa	SWEDEN	0.1	
Nationa	FRANCE	0.1	
Nationa	SPAIN	0.05	
Nationa	DENMARK	0.3	
Nationa	DENMARK	0.1	
Nationa	FINLAND	0.05	
Nationa	PORTUGAL	0.025	
Nationa	NORWAY	0.3	0.9
Nationa	NORWAY	0.1	0.9
Nationa	BELGIUM	0.1	
Nationa	CZECH REPUBLIC	0.1	
Nationa	HUNGARY	0.15	
Nationa	ESTONIA	0.1	
Nationa	SLOVAKIA	0.1	0.5
Nationa	SLOVENIA	0.1	
Nationa	BULGARIA	0.07	
Nationa	ROMANIA	0.1	
Nationa	LITHUANIA	0.1	
Nationa	CROATIA	0.1	
Nationa	ITALY	0.100	

(R), A2 - Pulm fibrosis, lung

A2 - Suspected Human Carcinogen; lung

cancer; pulmonary fibrosis

cancer A\*

### **Appropriate engineering controls**

no data available

### Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment.

### 9. Physical and chemical properties

Physical state Liquid

Color various

Appearance: paste

Odour: Characteristic

Odour threshold: no data available

pH: 8.00

Melting point / freezing point: no data available Initial boiling point and boiling range: 100 °C (212 °F)

Flash point: no data available Evaporation rate: no data available Flammability (Solid, Gas): no data available

Upper/lower flammability or explosive limits: no data available

Print date 28/04/2022 Production Name ULTRABOND ECO V4 SP Page n. 4 of 8

Vapour pressure: no data available Vapour density: no data available Relative density: 1.24 g/cm3 Solubility in water: dispersible Solubility in oil: insoluble

Partition coefficient (n-octanol/water): no data available

Auto-ignition temperature: no data available Decomposition temperature: no data available

Viscosity: 140,000.00 cPs

Specific heat value: no data available

Saturated vapour concentration: no data available

Release of invisible flammable vapours and gases: no data available

Particle size: no data available

Particle size distribution: no data available Shape and aspect ratio: no data available

Crystallinity: no data available Dustiness: no data available

Specific surface area: no data available

Degree of aggregation or agglomeration, and dispersibility: no data available

Biodurability or biopersistence: no data available Surface coating or chemistry: no data available

VOC % (Volatile Organic Compound): 0 (Rule 1168) g/l

### 10. Stability and reactivity

#### Reactivity

Stable under normal conditions

#### **Chemical stability**

no data available

#### Possibility of hazardous reactions

None

#### **Conditions to avoid**

Stable under normal conditions.

### **Incompatible materials**

None in particular.

### Hazardous decomposition products

None.

### **SECTION 11: Toxicological information**

### Information on toxicological effects

# Toxicological information on main components of the mixture:

calcium carbonate a) acute toxicity LD50 Oral Rat > 5000 mg/kg

free crystalline silica ( $\emptyset$  a) acute toxicity LD50 Oral > 2000 mg/kg

>10 µ)

LD50 Skin > 2000 mg/kg

free crystalline silica ( $\emptyset$  a) acute toxicity LD50 Oral Rat = 500 mg/kg

<10 µ)

### 12. Ecological information

### **Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

### List of components with eco-toxicological properties

Component Ident. Numb. Ecotox Infos

calcium carbonate CAS: 1317-65-3 - a) Aquatic acute toxicity: LC50 Fish > 10000 mg/L 96

EINECS: 215-279-6

Print date 28/04/2022 Production Name ULTRABOND ECO V4 SP Page n. 5 of 8

a) Aquatic acute toxicity: EC50 Algae > 200 mg/L 72

### Persistence and degradability

no data available

### **Bioaccumulative potential**

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

#### 13. Disposal considerations

#### **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

#### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Clean waste packaging should be recycled when possible and authorized by the authority.

#### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

### 14. Transport information

Not classified as dangerous in the meaning of transport regulations.

### **UN** number

no data available

### **UN** proper shipping name

no data available

### Transport hazard class(es)

no data available

### Packing group, if applicable

no data available

#### **Environmental hazards**

no data available

### Special precautions for user

no data available

### **Additional Information**

no data available

### HazChem Code/Emergency Action code

no data available

### 15. Regulatory information

### Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICS: all components are listed

#### 16. Other information

Print date 28/04/2022 Production Name ULTRABOND ECO V4 SP Page n. 6 of 8

Code Description

H372 Causes damage to organs through prolonged or repeated exposure.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor BEI: Biological Exposure Index BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

 ${\it CLP: Classification, Labeling, Packaging.}$ 

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand COV: Volatile Organic Compound CSA: Chemical Safety Assessment CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

Print date 28/04/2022 Production Name ULTRABOND ECO V4 SP Page n. 7 of 8

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

## Paragraphs modified from the previous revision:

- Safety Data Sheet
- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 16. OTHER INFORMATION



Print date 28/04/2022 Production Name ULTRABOND ECO V4 SP Page n. 8 of 8