# Safety Data Sheet ULTRAPLAN FAST TRACK

Safety Data Sheet dated: 29/07/2022 - version 5

Date of first edition: 03/05/2017



#### **Section 1: Identification**

#### **GHS Product identifier**

Mixture identification:

Trade name: ULTRAPLAN FAST TRACK

Trade code: 9001242

#### Recommended use of the chemical and restrictions on use

Recommended use: Cement based levelling mortar

Uses advised against: Data not available

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsible: sales@mapei.com.au

Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26

Police or Fire Brigade 000

# Section 2: Hazard(s) identification





#### Classification of the Hazardous chemical

Serious eye damage, Category 1 Causes serious eye damage.

Skin Sensitisation, Category 1B May cause an allergic skin reaction.

Adverse physicochemical, human health and environmental effects:

No other hazards

#### GHS label elements, including precautionary statements

#### **Pictograms and Signal Words**



Danger

#### **Hazard statements:**

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

# **Precautionary statements:**

P261 Avoid breathing mist/vapours/spray.

P280 Wear protective gloves/clothing and eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment (see supplementary instructions on this label)
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

#### Other hazards which do not result in a classification

Other Hazards: No other hazards

Prolonged exposition and/or intensive inhalation of respirable free crystalline silica (average diameter less than 10 micron in accordance with ACGIH) can cause pulmonary fibrosis commonly referred to as silicosis.

Print date 29/07/2022 Production Name ULTRAPLAN FAST TRACK Page n. 1 of 9

# **Section 3: Composition and information on ingredients**

#### **Substances**

no data available

#### **Mixtures**

Mixture identification: ULTRAPLAN FAST TRACK

# Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

Concentra Nan tion (% w/w)	me	Ident. Numb.	Classification	Registration Number
≥25 - <50 free %	(,-	CAS:14808-60-7 EC:238-878-4		
≥10 - <20 Calc		CAS:471-34-1 EC:207-439-9		Exempted
≥5 - <10 port %	, , , , , , , , , , , , , , , , , , , ,	EC:266-043-4	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Dam. 1, H318; STOT SE 3, H335	
≥0.05 - calci <0.1 %		CAS:1317-65-3 EC:215-279-6		

#### **Section 4: First-aid measures**

#### **Description of necessary first-aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### Symptoms caused by exposure

Eye irritation

Eye damages

# Medical attention and special treatment

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

# **Section 5: Firefighting measures**

# Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: ==

Oxidizing properties: no data available

# Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

# **Section 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

Print date 29/07/2022 Production Name ULTRAPLAN FAST TRACK Page n. 2 of 9

Wear personal protection equipment.

Remove persons to safety.

#### **Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

# Methods and materials for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations

Scoop into containers and seal for disposal.

Retain contaminated washing water and dispose it.

#### Section 7: Handling and storage

# Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

# Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

# Section 8: Exposure controls and personal protection Control parameters - exposure standards, biological monitoring

List of components wit	h OEL va	lue					
	OEL Type	Country	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Note
free crystalline silica (Ø >10 µ) CAS: 14808-60-7	National	DENMARK	0,3				DENMARK, inhalable aerosol inhalable aerosol
	National	DENMARK	0,100				DENMARK, respirable aerosol
	National	SWITZERLAND	0,15				A
	ACGIH		0,025				(R), A2 - Pulm fibrosis, lung cancer
	National	NORWAY	0,300				K: Chemicals to be treated as carcinogenic.
	National	AUSTRALIA	0,050				
	ACGIH		0,025				A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis
	National	FRANCE	0,100				
	National	SPAIN	0,050				
	National	FINLAND	0,05				
	National	PORTUGAL	0,025				
	National	BELGIUM	0,100				
	National	CZECH REPUBLIC	0,100				
	National	HUNGARY	0,150				
	National	DENMARK	0,300				
	National	SWEDEN	0,100				
	National	ESTONIA	0,100				
	National	SLOVAKIA	0,100		0,500		
	National	SLOVENIA	0,1				

Print date 29/07/2022 Production Name **ULTRAPLAN FAST TRACK** Page n. 3 of 9

	National	BULGARIA	0,070		
	National	LITHUANIA	0,100		
	National	ROMANIA	0,100		
	National	CROATIA	0,100		
Calcium carbonate CAS: 471-34-1	AUS	AUSTRALIA	10		
	National	FRANCE	10		
	National	PORTUGAL	10		
	National		6		
portland cement, Cr(VI)		FINLAND	1		FINLAND, respirabel
< 2 ppm CAS: 65997-15-1					fraktion
	AUS		10,000		10 mg/m3 PEL
	National	SPAIN	4,000		5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m3 TWA (containing <1% of free Silica, total dust)
	National	PORTUGAL	10		
	National	BELGIUM	10		
	National	HUNGARY	10		
	National	UNITED	10,000		inhalable dust
		KINGDOM			
	National	UNITED KINGDOM	4,000		respirable dust
	National	CROATIA	10,000	10,000	
	ACGIH	AUSTRALIA	1,000		A4 - Not Classifiable as a Human Carcinogen; pulmonary function; respiratory symptoms; asthma
	National	UNITED KINGDOM	10	30,000	5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m3 TWA (containing <1% of free Silica, total dust)
	National	UNITED KINGDOM	4,000		
	National	ROMANIA	10		
	OSHA		15		
	ACGIH		1		A4 - Not Classifiable as a Human Carcinogen; pulmonary function; respiratory symptoms; asthma
	AUS	AUSTRALIA	10		
	National	SPAIN	4		
	National	FINLAND	5		
	National	LATVIA	6		
calcium carbonate CAS: 1317-65-3	OSHA		15		
	National	GREECE	10		
	National	BELGIUM	10		
	National	CZECH REPUBLIC	10,0		
	National	HUNGARY	10		
		ESTONIA	10		
		SLOVAKIA	10		
Print data	20/07/2022			LII TDADI ANI EAST TDACK	Paga n

Print date 29/07/2022 Production Name ULTRAPLAN FAST TRACK Page n. 4 of 9

National UNITED 10 30
KINGDOM

National BULGARIA 10
National ROMANIA 10
National CROATIA 4

National FRANCE 10,000

# Predicted No Effect Concentration (PNEC) values

PNEC Exposure Route Exposure Frequency Remark

Limit

Calcium carbonate 100 mg/l Microorganisms in CAS: 471-34-1 sewage treatments

# **Derived No Effect Level. (DNEL)**

Worker Worker Consu Exposure Route **Exposure Frequency Remark Industr Profess mer** ional Calcium carbonate 6,36 1,06 **Human Inhalation** Long Term, local CAS: 471-34-1 mg/m3 mg/m3 effects **Human Oral** 6,1 Long Term, systemic mg/kg effects 6,1 Human Oral Short Term, systemic

#### **Appropriate engineering controls**

no data available

#### Individual protection measures, such as personal protective equipment (PPE)

mg/kg

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment.

effects

### Section 9: Physical and chemical properties

Physical state: Solid

Color: Grey

Odour: cement like

pH:

Melting point / freezing point: no data available

pH (water dispersion, 10%): 11.00

Initial boiling point and boiling range: no data available

Flash point: no data available Evaporation rate: no data available

Flammability (Solid, Gas): no data available

no data available

Vapour pressure: no data available

Lower and upper explosion limit/flammability limits:

Vapour density: no data available Relative density: 1.50 g/cm3 Solubility in water: partly soluble

Solubility in oil: insoluble

Partition coefficient (n-octanol/water): no data available

Auto-ignition temperature: no data available

Print date 29/07/2022 Production Name ULTRAPLAN FAST TRACK Page n. 5 of 9

Decomposition temperature: no data available

Particle size: no data available

Kinematic viscosity: no data available Particle size distribution: no data available

**Particle characteristics:** 

Shape and aspect ratio: no data available Specific surface area: no data available

VOC % (Volatile Organic Compound): 0 (Rule 1168) g/l

# Section 10: Stability and reactivity

#### Reactivity

Stable under normal conditions

#### Chemical stability

no data available

#### Possibility of hazardous reactions

None.

#### **Conditions to avoid**

Stable under normal conditions.

#### **Incompatible materials**

None in particular.

# **Hazardous decomposition products**

# Section 11: Toxicological information Information on toxicological effects

# Toxicological information of the mixture:

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

c) serious eye damage/irritation The product is classified: Serious eye damage, Category 1(H318) d) respiratory or skin sensitisation The product is classified: Skin Sensitisation, Category 1B(H317)

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

#### Toxicological information on main components of the mixture:

free crystalline silica ( $\emptyset$  a) acute toxicity LD50 Oral > 2000 mg/kg

>10 µ)

LD50 Skin > 2000 mg/kg

Calcium carbonate a) acute toxicity LD50 Oral Rat > 2000 mg/kg

LC50 Inhalation Rat > 3 mg/l LD50 Skin Rat > 2000 mg/kg 4h LD50 Oral Rat = 6450 mg/kg

g) reproductive toxicity NOAEL Rat = 1000 mg/kg

calcium carbonate a) acute toxicity LD50 Oral Rat > 5000 mg/kg

Print date 29/07/2022 Production Name ULTRAPLAN FAST TRACK Page n. 6 of 9

# Section 12: Ecological information

#### **Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

Not classified for environmental hazards

Based on available data, the classification criteria are not met

#### List of components with eco-toxicological properties

Component Ident. Numb. **Ecotox Infos** 

Calcium carbonate CAS: 471-34-1 - c) Bacteria toxicity: NOEC Bacteria = 1000 mg/L 3

EINECS: 207-

439-9

d) Terrestrial toxicity: LC50 > 1000 mg/kg

d) Terrestrial toxicity: NOEC = 1000 mg/kg - 28 d

e) Plant toxicity: NOEC = 1000 mg/kg - 21 d

calcium carbonate CAS: 1317-65-3 a) Aquatic acute toxicity: LC50 Fish > 10000 mg/L 96

- EINECS: 215-

279-6

a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/L 48 a) Aquatic acute toxicity: EC50 Algae > 200 mg/L 72

#### Persistence and degradability

no data available

#### **Bioaccumulative potential**

no data available

#### Mobility in soil

no data available

# Other adverse effects

no data available

#### Section 13: Disposal considerations

# **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

# Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

# Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

#### **Section 14: Transport information**

Not classified as dangerous in the meaning of transport regulations.

# UN number

no data available

# **UN proper shipping name**

no data available

#### Transport hazard class(es)

Print date 29/07/2022 Production Name **ULTRAPLAN FAST TRACK** 7 of 9 Page n.

no data available

## Packing group, if applicable

no data available

#### **Environmental hazards**

no data available

#### Special precautions for user

no data available

#### **Additional Information**

no data available

#### HazChem Code/Emergency Action code

no data available

#### **Section 15: Regulatory information**

#### Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals.

AICS: all components are listed

# Section 16: Any other relevant information

Code	Description	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	
Code	Hazard class and hazard category	Description
<b>Code</b> 3.2/2	Hazard class and hazard category Skin Irrit. 2	<b>Description</b> Skin irritation, Category 2
	<i>,</i>	•
3.2/2	Skin Irrit. 2	Skin irritation, Category 2

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor BEI: Biological Exposure Index BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center CE: European Community

CLP: Classification, Labeling, Packaging. CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand COV: Volatile Organic Compound CSA: Chemical Safety Assessment CSR: Chemical Safety Report DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

Print date 29/07/2022 Production Name ULTRAPLAN FAST TRACK Page n. 8 of 9

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

**PSG:** Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

#### Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES



**Keymor Trade Supplies** 

11 Belmont Avenue, Belmont WA 6104 P: 08 9277 7177

Print date 29/07/2022 Production Name ULTRAPLAN FAST TRACK Page n. 9 of 9